







B1 & B3




B2



B5




B8




B7


B40




TX B41



TX TDS




TX B20




Thermal



DIPLEXER B39 B41




PRX B34 B39




PRX B41




TX B28A




TX B28B







DIPLEXER B39 B41




DRX B34 B39




DRX B41




DRX B28



DRX



DRX B2




DRX B40



DRX B1&3&4




DRX B8




DRX B20





DRX B7





DRX B5

















Title			
D2T LOC			
Size	Document Number		Rev
A3	NFC		M0A CN
Date:	Friday, July 20, 2018		Sheet 8 of 37






Title		
D2T LOC		
Size	Document Number	Rev
A3	GPS	M0A CN
Date:	Friday, July 20, 2018	Sheet 9 of 37










Title		
D2T LOC		
Size A3	Document Number	Rev
	BT/WLAN DECOUP	MOA CH
Date:	Friday, July 20, 2018	Sheet 12 of 37



















LPDDR4/4x









Title		
D2T LOC		
Size	Document Number	Rev
A3	SMB1351	MOA CH
Date:	Friday, July 20, 2018	Sheet 23 of 37










PSEUDO CAPLESS LDOs
For CAPLESS LDOs: If decaps on the load side do not add up to LDO spec, then install the cap close to the PMIC









HEADSET




Speaker PA



AUX Mic



Receiver



Bottom fpc Connector

