



MAIN BOARD TOP LEVEL




B2B CONNECTOR

SHEET 2




CONNECTORS

SHEET 4



SHEET 5




SHEET 6




SYSTEM CONNECTORS


DYNAMO, UHJ AND MICRO USB CONNECTORS





PRODUCTION TEST PATTERNS




BATTERY CONNECTOR




AUDIO



UI




BLUETOOTH TOP LEVEL




SHEET 10


BLUETOOTH




ENGINE




CMT ENGINE TOP LEVEL








POWER TOP LEVEL




VILMA




STACKED RAP+MEM



USB W/O APE




BB/RF IF




RF TOP LEVEL


SHEET 20




CAMERA INTERFACE




SIM





MICROSD



EMULATOR PADS




GPS TOP LEVEL





GPS


GPS COST 3.0 A1.5 2006 WK18 RELEASE


PIN	CONNECT TO	
	VIO_GPS	GND
I2C_UART_N	I2C MODE	UART MODE
BYPASS	CLOCK SLICER BYPASSED MODE [REF_CLK IS DIGITAL]	CLOCK SLICER ENABLED MODE [REF_CLK IS ANALOG]



















Upper PWB


RM-257 ONLY


CAMERA

B2B connector









19											
18											
17											
16											
15											
14											
13											
12											
11											
10											
9											
8											
7											
6											
5											
4											
3											
2											
1											
	A	B	C	D	E	F	G	H	I	J	K