

SAMSUNG

GSM TELEPHONE

GT-C3630C

SERVICE *Manual*

GSM TELEPHONE



CONTENTS

1. Safety Precautions
2. Specification
3. Product Function
4. Array course control
5. Exploded View and Parts List
6. Main Electrical Parts List
7. Block Diagrams
8. PCB Diagrams
9. Flow Chart of Troubleshooting
10. Reference data
11. Disassembly and Assembly instructions

**SAMSUNG
ELECTRONICS**



GSPN (Global Service Partner Network)

Country	Web Site
North America	service.samsungportal.com
Latin America	latin.samsungportal.com
CIS	cis.samsungportal.com
Europe	europe.samsungportal.com
China	china.samsungportal.com
Asia	asia.samsungportal.com
Mideast & Africa	mea.samsungportal.com

6. MAIN Electrical Parts List

SEC CODE	Design LOC	Description
0403-001688	ZD605,ZD607	DIODE-ZENER
0404-001172	ZD504	DIODE-SCHOTTKY
0406-001201	ZD606	DIODE-TVS
0406-001261	ZD610	DIODE-TVS
0406-001267	ZD502,ZD503,ZD604	DIODE-TVS
0406-001267	ZD608,ZD609,ZD611	DIODE-TVS
0406-001286	ZD603	DIODE-TVS
0406-001293	ZD501	DIODE-TVS
0406-001375	ZD506,ZD507,ZD804	DIODE-TVS
0504-001151	Q401,U203,U205	TR-DIGITAL
0601-002070	LED603,LED604,LED605	LED
0601-002070	LED606,LED607,LED608	LED
0801-003022	U107	IC
0801-003139	U102,U104,U105	IC
1001-001459	U503	IC
1001-001586	U603	IC
1201-002764	U501	IC
1201-002765	PAM201	IC
1201-002773	PAM101	IC
1203-004291	U602	IC
1203-004792	U403	IC
1203-005069	U302	IC
1203-005250	U601	IC
1203-005501	U606	IC
1203-005512	U502	IC
1203-005675	U301	IC
1204-003022	U201	IC
1205-003517	U204	IC
1205-003598	U202	IC
1205-003636	U101	IC
1205-003721	U106	IC
1205-003755	UME401	IC
1205-003770	UCP301	IC
1404-001224	VR401	THERMISTOR
2007-000138	R606,R631,R638,R639	R-CHIP
2007-000138	R640,R641,R642	R-CHIP
2007-000140	R201,R415,R611	R-CHIP
2007-000148	R301,R306,R420,R607	R-CHIP
2007-000149	R423	R-CHIP
2007-000151	R421	R-CHIP
2007-000152	R621	R-CHIP
2007-000162	R303,R307,R417,R422	R-CHIP
2007-000173	R311,R618	R-CHIP
2007-000242	R504	R-CHIP

SEC CODE	Design LOC	Description
2007-000249	R304	R-CHIP
2007-000566	R308,R309	R-CHIP
2007-000831	R401	R-CHIP
2007-001119	R612,R613,R615,R617	R-CHIP
2007-001119	R619,R628	R-CHIP
2007-001291	R608,R609	R-CHIP
2007-001292	R505,R506	R-CHIP
2007-001306	R510,R512	R-CHIP
2007-001319	R408,R409,R629,R630	R-CHIP
2007-001333	R404,R605	R-CHIP
2007-002796	R503	R-CHIP
2007-003001	R508,R509	R-CHIP
2007-003006	R634,R635	R-CHIP
2007-003010	R418	R-CHIP
2007-003015	R203	R-CHIP
2007-007009	R624,R625,R626,R627	R-CHIP
2007-007009	R632,R633	R-CHIP
2007-007107	R202,R206,R402	R-CHIP
2007-007134	R305	R-CHIP
2007-007136	R107	R-CHIP
2007-007142	R302,R403,R620	R-CHIP
2007-007306	R113	R-CHIP
2007-007308	R406	R-CHIP
2007-007491	R115	R-CHIP
2007-007573	R614	R-CHIP
2007-007627	R610	R-CHIP
2007-008045	R106,R116,R637	R-CHIP
2007-008052	R110	R-CHIP
2007-008055	R204	R-CHIP
2007-008354	R616	R-CHIP
2007-008483	R207	R-CHIP
2007-008516	R405,R507	R-CHIP
2007-008547	R101,R102,R103,R104	R-CHIP
2007-009374	R114	R-CHIP
2007-009801	R111	R-CHIP
2203-000138	C624	C-CERAMIC,CHIP
2203-000233	C142,C336	C-CERAMIC,CHIP
2203-000254	C207,C227,C528,C626	C-CERAMIC,CHIP
2203-000330	C338	C-CERAMIC,CHIP
2203-000386	C208,C212,C228,C337	C-CERAMIC,CHIP
2203-000386	C504,C507,C511,C617	C-CERAMIC,CHIP
2203-000386	C618	C-CERAMIC,CHIP
2203-000438	C216,C218	C-CERAMIC,CHIP
2203-000679	C640,C641,C642,C643	C-CERAMIC,CHIP

SEC CODE	Design LOC	Description
2203-000696	C140	C-CERAMIC,CHIP
2203-000812	C104,C108,C110,C114	C-CERAMIC,CHIP
2203-000812	C125,C126,C141,C402	C-CERAMIC,CHIP
2203-000812	C425,C523,C525,C526	C-CERAMIC,CHIP
2203-000812	C530,C531,C621	C-CERAMIC,CHIP
2203-000854	C226,C230,C421	C-CERAMIC,CHIP
2203-001153	C505,C508,C512,C539	C-CERAMIC,CHIP
2203-001153	C616,C619,C620	C-CERAMIC,CHIP
2203-001210	C517,C519	C-CERAMIC,CHIP
2203-001239	C118	C-CERAMIC,CHIP
2203-002487	C625	C-CERAMIC,CHIP
2203-002668	C132	C-CERAMIC,CHIP
2203-002709	C333,C401,C403,C404	C-CERAMIC,CHIP
2203-002709	C405,C406,C407,C408	C-CERAMIC,CHIP
2203-002709	C409,C410,C411,C412	C-CERAMIC,CHIP
2203-002709	C413,C414,C415,C416	C-CERAMIC,CHIP
2203-002709	C623	C-CERAMIC,CHIP
2203-005050	C120,C121,C233	C-CERAMIC,CHIP
2203-005234	C124,C127	C-CERAMIC,CHIP
2203-005281	C102,C214	C-CERAMIC,CHIP
2203-005288	L208	C-CERAMIC,CHIP
2203-005395	C229	C-CERAMIC,CHIP
2203-005446	C116,C117	C-CERAMIC,CHIP
2203-005450	C234	C-CERAMIC,CHIP
2203-005682	C111,C136,C139	C-CERAMIC,CHIP
2203-005717	C644,C645	C-CERAMIC,CHIP
2203-005729	C219	C-CERAMIC,CHIP
2203-005777	C232	C-CERAMIC,CHIP
2203-005806	C144,C145	C-CERAMIC,CHIP
2203-006048	C107,C304,C306,C308	C-CERAMIC,CHIP
2203-006048	C309,C334,C339,C506	C-CERAMIC,CHIP
2203-006048	C513,C601,C602,C603	C-CERAMIC,CHIP
2203-006048	C622,C632,C633,C634	C-CERAMIC,CHIP
2203-006120	C122	C-CERAMIC,CHIP
2203-006121	C105,C106	C-CERAMIC,CHIP
2203-006137	C133,C134	C-CERAMIC,CHIP
2203-006190	C138,C305,C307,C310	C-CERAMIC,CHIP
2203-006190	C419	C-CERAMIC,CHIP
2203-006194	C224	C-CERAMIC,CHIP
2203-006208	C503	C-CERAMIC,CHIP
2203-006257	C202,C204,C303,C311	C-CERAMIC,CHIP
2203-006257	C312,C313,C314,C315	C-CERAMIC,CHIP
2203-006257	C316,C317,C322,C323	C-CERAMIC,CHIP
2203-006257	C328	C-CERAMIC,CHIP


SEC CODE	Design LOC	Description
2203-006260	C501,C515,C516,C518	C-CERAMIC,CHIP
2203-006260	C521	C-CERAMIC,CHIP
2203-006324	C335,C613	C-CERAMIC,CHIP
2203-006348	C428	C-CERAMIC,CHIP
2203-006399	C205,C422,C527,C529	C-CERAMIC,CHIP
2203-006423	C128,C135,C146,C222	C-CERAMIC,CHIP
2203-006474	C217,C318,C320,C426	C-CERAMIC,CHIP
2203-006562	C332,C427,C447,C520	C-CERAMIC,CHIP
2203-006648	C143,C221	C-CERAMIC,CHIP
2203-006681	C109,C112,C137,C203	C-CERAMIC,CHIP
2203-006681	C509,C510,C540	C-CERAMIC,CHIP
2203-006824	C215,C321,C324,C325	C-CERAMIC,CHIP
2203-006824	C326,C327,C330	C-CERAMIC,CHIP
2203-006839	C113	C-CERAMIC,CHIP
2203-006841	C341,C342,C537,C612	C-CERAMIC,CHIP
2203-006841	C615	C-CERAMIC,CHIP
2203-006872	C220,C223,C522,C607	C-CERAMIC,CHIP
2203-006872	C608,C610,C611,C614	C-CERAMIC,CHIP
2203-006872	C636	C-CERAMIC,CHIP
2203-006896	C211	C-CERAMIC,CHIP
2203-006979	C231	C-CERAMIC,CHIP
2203-007210	C417,C418	C-CERAMIC,CHIP
2203-007270	C635	C-CERAMIC,CHIP
2203-007271	C343,C344,C609	C-CERAMIC,CHIP
2203-007279	C319,C329,C331,C345	C-CERAMIC,CHIP
2203-007279	C346,C347	C-CERAMIC,CHIP
2203-007317	C201,C206,C210,C213	C-CERAMIC,CHIP
2404-001474	TA201	C-TA,CHIP
2404-001506	TA101,TA602,TA603	C-TA,CHIP
2703-001613	L103	INDUCTOR-SMD
2703-001747	L111,L112,L203	INDUCTOR-SMD
2703-001748	L205	INDUCTOR-SMD
2703-001751	L109,L214	INDUCTOR-SMD
2703-002208	L106,L107,L211	INDUCTOR-SMD
2703-002281	L104,L105	INDUCTOR-SMD
2703-002308	L101	INDUCTOR-SMD
2703-002309	L213,L512,L513	INDUCTOR-SMD
2703-002768	L401	INDUCTOR-SMD
2703-002793	L210	INDUCTOR-SMD
2703-002918	L204	INDUCTOR-SMD
2703-002958	L102	INDUCTOR-SMD
2703-003121	L202	INDUCTOR-SMD
2703-003258	L303	INDUCTOR-SMD
2703-003260	L301	INDUCTOR-SMD



SEC CODE	Design LOC	Description
2703-003274	L207	INDUCTOR-SMD
2703-003533	L304	INDUCTOR-SMD
2703-003534	L605	INDUCTOR-SMD
2801-004339	OSC301	CRYSTAL-UNIT
2809-001303	TCX101	OSCILLATOR-VCTCXO
2901-001370	F603,F604	FILTER-EMI SMD
2901-001376	F601	FILTER-EMI SMD
2901-001429	F602	FILTER-EMI SMD
2909-001320	F201	FILTER-DUPLEXER
2911-000115	U103	FILTER
3003-001138	MIC501	MIC-CONDENSOR
3301-001534	L108	CORE-FERRITE BEAD
3301-001682	L206	CORE-FERRITE BEAD
3301-001729	L201	CORE-FERRITE BEAD
3301-001762	L302	CORE-FERRITE BEAD
3301-001820	L501,L502,L507,L508	CORE-FERRITE BEAD
3301-001820	L509,L510,L516	CORE-FERRITE BEAD
3301-001885	L504,L514,L515,L601	CORE-FERRITE BEAD
3301-001885	L602,L603	CORE-FERRITE BEAD
3301-001912	L604	CORE-FERRITE BEAD
3705-001503	RFS101	CONNECTOR-COAXIAL
3708-001912	HDC501	CONNECTOR-FPC/FFC/PIC
3708-002162	HEA602	CONNECTOR-FH26-31S-0.3SHBW(21)
3708-002222	HDC601	CONNECTOR-FPC/FFC/PIC
3709-001447	SIM401	CONNECTOR-CARD EDGE
3711-006137	BTC601	CONNECTOR-HEADER
3711-006405	HEA801	CONNECTOR-HEADER
3722-002840	IFC601	JACK-PHONE;HY07-AB0700
4202-001463	ANT201	ODBTP3015
4302-001130	BAT301	BATTERY
GH71-08426A	ANT101,ANT102	NPR-CONTACT ANT

9. Flow Chart of Troubleshooting


9-1.Baseband


9-1-1Power ON






9-1-2. Initial







9-1-3. SIM Part






9-1-4. Charging Part







9-1-5. Microphone Part







9-1-6. Speaker Part












9-1-7. Receiver Part









9-1-8. Headset Part





9-1-9. Camera Part






9-2.RF

9-2-1. GSM900 Receiver

**If you check the RX chain,


Check the not only RF Device but also resistor, inductor and capacitor.



9-2-2. DCS1800 Receiver

**If you check the RX chain,


Check the not only RF Device but also resistor, inductor and capacitor.





9-2-3. PCS1900 Receiver

**If you check the RX chain,

Check the not only RF Device but also resistor, inductor and capacitor.








9-2-4. GSM900 Transmitter

**If you check the TX chain,


Check the not only RF Device but also resistor, inductor and capacitor.



9-2-5. DCS1800 Transmitter

**If you check the TX chain,


Check the not only RF Device but also resistor, inductor and capacitor.





9-2-6. PCS1900 Transmitter

**If you check the TX chain,

Check the not only RF Device but also resistor, inductor and capacitor.










9-2-7. TD-SCDMA Receiver

**If you check the RX chain,

Check the not only RF Device but also resistor, inductor and capacitor.












9-2-8. TD-SCDMA Transmitter

**If you check the TX chain,


Check the not only RF Device but also resistor, inductor and capacitor.










9-2-9 FM Radio








9-2-11 Bluetooth


7. Block Diagrams

7-1. Total Block Diagram

[REDFIN] CT-C3630C_Block Diagram





7-2. Base Band Solution Block Diagram



8. PCB Diagrams



< MAIN Top >











11. Disassembly and Assembly Instructions




11-1. Disassembly Instructions





1 	2 
1) Unscrew 4 points of the Rear. ※ Caution 1) Be careful not to make scratch and molding damage!	1) Use a disassembly tool and disassemble REAR's hooker 2 places. ※ Caution 1) Be careful not to make scratch and molding damage!
3 	4 
1) Use a disassembly tool and disassemble REAR's hooker 2 place. ※ Caution 1) Be careful not to make scratch and molding damage!	1) Lift and disassemble REAR. ※ Caution 1) Be careful not to make scratch and molding damage!

5 	6 
1) Hold FRONT with fingers 2) Widen the space between PBA ass'y and FRONT. 3) Push up the PBA ass'y and Keypad together from backside. ※ Caution 1) Do not impose excessive force.	1) Disassemble Volume key FPCB from SPK Module. 2) Remove Camera connector ※ Caution 1) Do not impose excessive force to key FPCB.
7 	8 
1) Disassemble Speaker mold's hooker - 2 point. 2) Disassemble Speaker mold FPCB and CIF Camera connector. ※ Caution 1) Do not impose excessive force.	1) Unscrew 2 point - Shieldcan Screw ※ Caution 1) Be care of damage to MAIN PCB

9	10
	
1) Put PBA Ass'y into temperature chamber. ※ Caution 1) temperature of chamber : 70℃, time : 5 min ~ 60 min.	1) Disassemble LCD FPCB Connector ※ Caution 1) Be care of damage to LCD FPCB
11	12
	
1) Separate LCD upper corner 2 places with PBA using a decomposition tool and lift. ※ Caution 1) Be careful not to make scratch and molding damage!	

11-2. Disassembly Assembly

1	2
	
1) Remove a release paper of LCD backside. 2) Put LCD FPCB through PCB Hole. 3) Adjust LCD corner aligned with PCB silk line and assemble LCD. ※ Caution 1) Be care of damage to LCD Panel.	1) Assemble LCD FPCB to Connector. ※ Caution 1) Be care of damage to LCD FPCB
3	4
	
1) Place Shield can on PBA. 2) Assemble the Shield can screw - 2 point. ※ Caution 1) Be care of damage to PBA 2) Torque : 1.1 ~ 1.3 Kgf-cm Size : M1.4 x L2.0	1) Assemble CIF Camera connector. 2) Assemble Speaker mold FPCB ※ Caution 1) Be care of damage to FPCB

4  HOOK	5 
1) Assemble Speaker mold hook - 2point. 2) Place CIF Camera - Push the CIF Camera toward LCD. ※ Caution 1) Be care of damage to PBA	1) Assemble Volume key FPCB to Speaker mold. 2) Assemble Camera connector 3) Place Camera on Speaker mold. ※ Caution 1) Be care of damage to PBA
6 	7 
1) Place Keypad to FRONT. 2) Place PBA to FRONT. (from upper side to lower side) ※ Caution 1) Be careful of scratch and cosmetic damage.	1) Cover REAR and assemble hooker to number Order place. ※ Caution 1) Be careful of scratch and cosmetic damage.

8	9
	
1) Assemble screw to number order place. ※ C a u t i o n 1) Be careful of scratch and cosmetic damage. Torque : 1.2 ~ 1.4 Kgf · cm / Size : M1.4 * L4.0	
10	11