



Product Change Survey

Applicable for K750 family

Contents

1	Repair Overview	2
1.1	Label content	2
1.2	Software description.....	4
1.3	SI / Revision description	7
2	Additional Information	8
2.1	Description of DPY/z variants.....	8
2.2	Description of DPY variants	9



1 Repair Overview

1.1 Label content



Conceptual picture

Printing information

	Content	Format
Line 1 (3,5/1,0)	Line 2 in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2, 5 mm. As desired by supplier (e.g. Code 128 symbology).
Line 2 (5,2/1,0)	Supplier's identification for traceability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1, 2 mm. Defined by supplier.
Line 3 (9,6/12,8)	Actual electronic serial number (IMEI) of the phone (KRH), "00000000-000000-0"	Text, height 2, 0 mm. In the format TAC-SNR-CD. TAC and SNR derived from the 3/151 86-document in the 1095- for the SVV. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 4a (11,5/12,8)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 4b (11,5/18,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.
Line 5	Production week (flash), "yy'W'ww"	Text, height 1,2 mm.



(13,5/12,8)	(yy = year, ww = week)	
Line 6a (15,1/0,5)	Marking of origin. The line shall be printed as stated in chapter 3 in this document.	Text, height 1,2 mm.
Line 6b (15,1/11,3)	Product number of the DPY kit in which the phone is packed, if applicable. Printed without "DPY 101" and R-state, "0000/000"	Text, height 1,2 mm.
Line 6c (15,1/20,5)	CE approval symbol.	Graphics, height 5 mm. According to 1424-SVF 930 52.
Line 6d (15,1/27,4)	The Notified body number. "0682"	Text, height 1,2 mm.
Line 7a (16,8/0,5)	Country approval mark 2 "IC: 4170B-A1022011"	Text, height 1,2 mm.
Line 7b (16,8/15,8)	Country approval mark 1 "FCC ID: PY7A1022011"	Text, height 1,2 mm.
Line 8a (18,4/0,5)	Type number of the phone (KRH), "Type: AAB-1022011-BV".	Text, height 1,2 mm.
Line 8b (18,4/15,3)	ROA and R-state identification field, "GHY ₁ Y ₂ Y ₃ "	Text, height 1, 2 mm. According to the 3/151 86- document in the 1095- for the SVV.
Line 8c (18,4/19,9)	Sony Ericsson stylized name.	Graphics, height 1, 4 mm. According to 190 89-EN/LZT 108 5347
Line 9a (20,6/0,5)	Line 3 in bar code (only actual number, without data identifier).	Bar code, height 2, 0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 9b (20,6/26,5)	Model name, "K750i"	Text, height 1,2 mm.



1.2 Software description

You will find the software description in the MMI (>*<<*<*) at the bottom of the Software Info menu.

Note the CXC is the same for several SW so you must go by the EU_1, EU_2 etc. when you identify the language variant.

Software Info

prgCXC125952_EU_1_CL

LCD SW versions

Main Display

Current: 200211260

Camera SW versions

Camera

Current: 1,0

ITP SW version

CXC 125 932 R1A

Customisation

cxc125941 R3B032

EU_4

EMMA III NAME	Country	Operator	Language code	Menu language	CXC
DPY1012834/32 Generic 1 Nordic	Nordic	Generic	EU_4	Finnish, Danish, Icelandic, Swedish, Norwegian	125952
DPY1012834/33 Generic 2 Nordic	Nordic	Generic	EU_4	Finnish, Danish, Icelandic, Swedish, Norwegian	125952
DPY1012834/24 Generic IE UK	Ireland, United Kingdom	Generic	EU_2	French, German, Sesotho, Zulu, Turkish	125952
DPY1012834/30 Generic Netherlands	Netherlands	Generic	EU_4	Finnish, Danish, Icelandic, Swedish, Norwegian	125952
DPY1012834/34 O2 UK	United Kingdom	O2	EU_2	French, German, Sesotho, Zulu, Turkish	125952
DPY1012834/68 O2 Germany	Germany	O2	EU_2	French, German, Sesotho, Zulu, Turkish	125952
DPY1012834/53 Generic UAE	UAE	Generic	EMEA_6	French, Arabic, Farsi, Russian	125952



DPY1012836/78 Vodafone Sweden	Sweden	Vodafone	VFE_1	Dutch, Greek, Potuguese, Spanish, Swedish	1250035
DPY1012834/91 Vodafone Greece	Greece	Vodafone	VFE_1	Dutch, Greek, Potuguese, Spanish, Swedish	1250035
DPY1012834/81 Swisscom Switzerland	Switzerland	Swisscom	VFE_2	French, German, Italian, Arabic, Hungarian, Turkish	1250035
DPY1012834/67 E-plus Germany	Germany	E-plus	E_PLUS	Dutch, French, German, Spanish, Turkish	125 952
DPY1012836/84 Vodafone UK	United Kingdom	Vodafone	VFE_2	French, German, Italian, Arabic, Hungarian, Turkish	1250035
DPY1012834/83 Orange UK	United Kingdom	Orange	ORANGE_G EN	French, Dutch, Romanian, Slovak, Polish	1250035

LANGUAGE	Abb.
US English	AE
Arabic	AR
Bulgarian	BG
Brazilian Portuguese	PB
Greek	EL
English	EN
Spanish	ES
Estonian	ET
Farsi	FA
French	FR
French	FR
Hebrew	HE
Croatian	HR
Hungarian	HU
Indonesian	ID
Italian	IT
Lithuanian	LT



Latvian	LV
Malay	MS
Dutch	NL
Norwegian	NO
Polish	PL
Portuguese	PT
Romanian	RO
Russian	RU
Slovakian	SK
Slovenian	SL
Albanian	SQ
Serbian	SR
Sotho	ST
Thai	TH
Tagalog	TL
Turkish	TR
Ukranian	UK
US English	US EN
Vietnamese	VI
Chinese Traditional, Hong Kong	ZC
Chinese Simplified, China	ZS
Chinese Traditional, Taiwan	ZT
Zulu	ZU
Latin American Spanish	XL

Variant name	Filename (CXC number)
EU_1_CL	cxc125952_eu_1_cl.ssw
EU_2_CL	cxc1250035_eu_2_cl.ssw
EU_3_CL	cxc1250036_eu_3_cl.ssw
China_CL	cxc125954_china_cl.ssw
Hong_Kong_CL	cxc125955_hong_kong_cl.ssw
Taiwan_CL	cxc125956_taiwan_cl.ssw

1.3 SI / Revision description

The SI ref. is the original document; if you search on the first four digits in SI ref. you'll find your version of it on CSPN.

SI	Date	Header	Label Identifier	Mandatory Action	Repair rev out
12630-44363	2005-05-03	SI – K750 release			

2 Additional Information

2.1 Description of DPY/z variants

Note, All kits are not released, see Web shop for which variants are orderable.

Oxidized Black

DPY no.	Description	KRH	Colour
DPY 101 2834/Z1	K750i/Oxidized Black/Latin/SWAP UNIT	KRH 101 333	Black
DPY 101 2834/Z2	K750i/Oxidized Black/Arabic/SWAP UNIT	KRH 101 333/2	Black
DPY 101 2834/Z3	K750c/Oxidized Black/Chinese/SWAP UNIT	KRH 101 333/3	Black
DPY 101 2834/Z4	K750i/Oxidized Black/Hebrew/SWAP UNIT	KRH 101 333/4	Black
DPY 101 2834/Z5	K750i/Oxidized Black/Cyrillic/SWAP UNIT	KRH 101 333/5	Black
DPY 101 2834/Z6	K750i/Oxidized Black/Bopomofo/SWAP UNIT	KRH 101 333/6	Black
DPY 101 2834/Z7	K750i/Oxidized Black/Thai/SWAP UNIT	KRH 101 333/7	Black
DPY 101 2834/Z9	K750c/Oxidized Black/Chinese/CMCC/SWAP UNIT	KRH 101 333/9	Black
DPY 101 2834/Z10	K750i/Oxidized Black/Latin/Vodafone/SWAP UNIT	KRH 101 333/10	Black

Blasted Silver

DPY no.	Description	KRH	Colour
DPY 101 2836/Z1	K750i/Blasted Silver/Latin/SWAP UNIT	KRH 101 335	Silver
DPY 101 2836/Z2	K750i/Blasted Silver/Arabic/SWAP UNIT	KRH 101 335/2	Silver
DPY 101 2836/Z3	K750c/Blasted Silver/Chinese/SWAP UNIT	KRH 101 335/3	Silver
DPY 101 2836/Z4	K750i/Blasted Silver/Hebrew/SWAP UNIT	KRH 101 335/4	Silver
DPY 101 2836/Z5	K750i/Blasted Silver/Cyrillic/SWAP UNIT	KRH 101 335/5	Silver
DPY 101 2836/Z6	K750i/Blasted Silver/Bopomofo/SWAP UNIT	KRH 101 335/6	Silver
DPY 101 2836/Z7	K750i/Blasted Silver/Thai/SWAP UNIT	KRH 101 335/7	Silver
DPY 101 2836/Z9	K750c/Blasted Silver/Chinese/CMCC/SWAP UNIT	KRH 101 335/9	Silver
DPY 101 2836/Z10	K750i/Blasted Silver/Latin/Vodafone/SWAP UNIT	KRH 101 335/10	Silver

2.2 Description of DPY variants

Note, All kits are not released, see Web shop for which variants are orderable.

Oxidized Black

DPY 101 2834/Z1	K750i/Oxidized Black/Latin/SWAP UNIT
DPY 101 2834/14	K750i/Mobile Phone/Oxidized, FR
DPY 101 2834/16	K750i/Oxidized Black/ LAM Generic
DPY 101 2834/21	K750i/Oxidized/India
DPY 101 2834/22	K750i/Mobile Phone/Oxidized, ID
DPY 101 2834/24	K750i/Oxidized Black/IE, UK
DPY 101 2834/30	K750i/Oxidized Black/Netherlands
DPY 101 2834/32	K750i/Oxidized Black/Nordic Generic 1
DPY 101 2834/33	K750i/Oxidized Black/Nordic Generic 2
DPY 101 2834/49	K750i/Oxidized Black/Schweiz
DPY 101 2834/67	K750i/Mobile Phone/E-Plus,DE/Oxidized
DPY 101 2834/81	K750i/Mobile Phone/Swisscom,CH/Oxidized
DPY 101 2834/82	K750i/Mobile Phone/O2, UK/Oxidized
DPY 101 2834/83	K750i/Mobile Phone/Orange, UK/Oxidized
DPY 101 2834/87	K750i/Oxidized Black/Singapore,Malaysia Trade



DPY 101 2834/Z2	K750i/Oxidized Black/Arabic/SWAP UNIT
DPY 101 2834/53	K750i/Oxidized Black/UAE Trade

DPY 101 2834/Z3	K750c/Oxidized Black/Chinese/SWAP UNIT
None	

DPY 101 2834/Z4	K750i/Oxidized Black/Hebrew/SWAP UNIT
None	

DPY 101 2834/Z5	K750i/Oxidized Black/Cyrillic/SWAP UNIT
DPY 101 2834/75	K750i/Mobile Phone/Trade, RU/Oxidized

DPY 101 2834/Z6	K750i/Oxidized Black/Bopomofo/SWAP UNIT
DPY 101 2834/50	K750i/Oxidized Black/Taiwan

DPY 101 2834/Z7	K750i/Oxidized Black/Thai/SWAP UNIT
DPY 101 2834/51	K750i/Oxidized Black/Thailand

DPY 101 2834/Z9	K750c/Oxidized Black/Chinese/CMCC/SWAP UNIT
None	

DPY 101 2834/Z10	K750i/Oxidized Black/Latin/Vodafone/SWAP UNIT
DPY 101 2834/69	K750i/Mobile Phone/Vodafone,DE/Oxidized
DPY 101 2834/91	K750i/Mobile Phone/Vfe,GR/Oxidized
DPY 101 2834/97	K750i/Mobile Phone/Vodafone,HU/Oxidized



Blasted Silver

DPY 101 2836/Z1	K750i/Blasted Silver/Latin/SWAP UNIT
DPY 101 2836/91	K750i/Mobile Phone/Proximus,BE/Silver
???	

DPY 101 2836/Z2	K750i/Blasted Silver/Arabic/SWAP UNIT
None	

DPY 101 2836/Z3	K750c/Blasted Silver/Chinese/SWAP UNIT
None	

DPY 101 2836/Z10	K750i/Blasted Silver/Latin/Vodafone/SWAP UNIT
DPY 101 2836/78	K750i/Mobile Phone/Vodafone,SE/Silver
DPY 101 2836/84	K750i/Mobile Phone/Vodafone,UK/Silver
DPY 101 2836/90	K750i/Mobile Phone/Vfe,NL/Silver
DPY 101 2884/4	K750i/Blasted Silver/OA2/UK (EN) [EU-chager]



	Date	Changes / Comments
Rev.		
A	2005-05-24	First release