

Compal Confidential

EG50_BZ

Q5WT6 Schematics Document

AMD Brazos

Brazos with Ontario / Hudson M3L

UMA only

2011-12-16

LA-8531P REV: 0.3




Part Number = DA60000RP00

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2010/08/04	Deciphered Date	2010/08/04	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Cover Page		
				Size	Document Number	Rev
				Custpm	<Doc>	0.1
Date:				Friday, December 16, 2011	Sheet 1 of 37	

Compal Confidential

Model Name : Q5WT6

Brazos



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/08/04	Deciphered Date	2010/08/04	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Block Diagrams	
Size		Document Number		Rev	
Custpm		LA-8531P		0.1	
Date:		Friday, December 16, 2011		Sheet 2 of 37	

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+VSB	VSB always on power rail	ON	ON	ON*
+3VALW	3.3V always on power rail	ON	ON	ON*
+5VALW	5V always on power rail	ON	ON	ON*
+1.1VALW	1.1V always on power rail	ON	ON	ON*
+APU_CORE	Core voltage for CPU (0.7-1.2V)	ON	OFF	OFF
+APU_CORE_NB	1.0V switched power rail	ON	OFF	OFF
+1.5V	1.5V power rail for CPU VDDIO and DDRIII	ON	ON	OFF
+0.75VS	0.75VS switched power rail for DDR terminator	ON	OFF	OFF
+1.05VS	1.05V switched power rail for APU VDD10	ON	OFF	OFF
+1.1VS	1.1VS switched power rail	ON	OFF	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VS	5V switched power rail	ON	OFF	OFF
+VGA_CORE	Core voltage for GPU	ON	OFF	OFF
+3VSG	3.3V switched power rail for GPU	ON	OFF	OFF
+1.8VSG	1.8V switched power rail for GPU	ON	OFF	OFF
+1.5VSG	1.5V switched power rail for GPU	ON	OFF	OFF
+1.0VSG	1.0V switched power rail for GPU	ON	OFF	OFF
+3V_LAN	3.3V power rail for LAN	ON	ON	OFF
+RTCVCC	RTC power	ON	ON	ON

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

EC SM Bus1 address

EC SM Bus2 address

Device	Address	HEX	Device	Address	HEX
Smart Battery	0001-011xb	NA	EMC1403-2(GPU)	1001-101xb	9EH

SM Bus Controller 0

(FCH_SMB1 ~ FCH_SMB4, SMB_ALERT#)

Device	Address	HEX
APU SIC/SID (FCH_SMB3)		
H_THERMTRIP# (FCH_ALERT#)		

SM Bus Controller 1

(FCH_SMB0)

Device	Address	HEX
DDR DIMM1 (FCH_SMB0)	1001-000xb	90
DDR DIMM2 (FCH_SMB0)	1001-001xb	92
WLAN (FCH_SMB0)		

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
Full ON									
S1 (Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel


Vcc	3.3V +/- 5%				
Ra/Rc/Re	100K +/- 5%				
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max	
0	0	0 V	0 V	0 V	
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V	
2	18K +/- 5%	0.436 V	0.503 V	0.538 V	
3	33K +/- 5%	0.712 V	0.819 V	0.875 V	
4	56K +/- 5%	1.036 V	1.185 V	1.264 V	
5	100K +/- 5%	1.453 V	1.650 V	1.759 V	
6	200K +/- 5%	1.935 V	2.200 V	2.341 V	
7	NC	2.500 V	3.300 V	3.300 V	

BTO Option Table


BTO Item	BOM Structure
AR8152	8152@
AR8151	8151@
Bluetooth	BT@
ALC271X	271X@
ALC281X	281X@
LVDS	LVDS@
EDP	EDP@
ODD zero power	ZERO@
APU_1.4G	1.4G@
APU_1.7G	1.7G@
normal ODD	ODD@

Project ID Table

Board ID	PCB Revision
0	R01
1	R02
2	R03
3	
4	
5	
6	
7	












Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date		2010/08/04	Deciphered Date		2010/08/04	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				FT1 PWR/VSS		
				Size	Document Number	Rev
					LA-8531P	0.1
Date:				Tuesday, February 07, 2012	Sheet	6 of 37




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		Deciphered Date		Title	
2010/08/04		2010/08/04		DDR3 SODIMM-I Socket	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Document Number	0.1
Date: Friday, March 02, 2012				Sheet	7 of 37


LCD POWER CIRCUIT



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/08/04	Deciphered Date	2010/08/04	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer	
				LA-8531P	
				Date	Friday, March 02, 2012
				Sheet	9 of 37
				Rev	0.1



SM070001310 400ma 90ohm@100mhz DCR 0.3




Place closed to JHDMI1

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2010/08/04	Deciphered Date	2010/08/04	Title HDMI Connector		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev 0.1
				Custom	LA-8531P	
Date: Friday, March 02, 2012		Sheet 10 of 37				

CRT Connector

Change to SM010005220 For EVT2, 11/29


Change P/N as SCA00001L00



From APU

(4) APU_CRT_R	APU_CRT_R	CRT_R
(4) APU_CRT_G	APU_CRT_G	CRT_G
(4) APU_CRT_B	APU_CRT_B	CRT_B
(4) APU_CRT_HSYNC	APU_CRT_HSYNC	CRT_HSYNC
(4) APU_CRT_VSYNC	APU_CRT_VSYNC	CRT_VSYNC
(4) APU_CRT_DDC_SDA	APU_CRT_DDC_SDA	CRT_DATA
(4) APU_CRT_DDC_SCL	APU_CRT_DDC_SCL	CRT_CLK

Close to Conn side



Security Classification		Compal Secret Data		Title	
Issued Date	2010/08/04	Deciphered Date	2010/08/04	CRT Connector	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	LA-8531P
				Date:	Friday, March 02, 2012
				Sheet	11 of 37

LAN
Cardeer Reader

WLAN

LAN


WLAN

Card Reader





Security Classification		Compal Secret Data	
Issued Date	2011/10/12	Deciphered Date	2013/10/12
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			

Title			Compal Electronics, Inc.
FCH PCIE/CLK/PCI/LPC/RTC			
Size	Document Number	LA8681P	
Custom		Rev 0.1	
Date:	Friday, March 02, 2012	Sheet	12 of 37


4MB SPI ROM & Non-share ROM.



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/10/12	Deciphered Date	2013/10/12	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				FCH SATA/SPI/VGA/HWM/SD	
Size	Document Number	LA8681P		Rev	0.1
Custpm	Friday, March 02, 2012	Sheet	13	of	37




Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2011/10/12	Deciphered Date	2013/10/12	Title FCH PWR		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number LA8681P	Rev 0.1
				Date:	Tuesday, February 07, 2012	Sheet 15 of 37



STRAP PINS


	PCI_CLK1	PCI_CLK3	PCI_CLK4	LPC_CLK0_EC	LPC_CLK1	EC_PWM2	RTC_CLK
PULL HIGH	ALLOW PCIE GEN2 DEFAULT	USE DEBUG STRAPS	NON_FUSION CLOCK MODE	EC ENABLED	CLKGEN ENABLED DEFAULT	LPC ROM	S5 PLUS MODE DISABLED DEFAULT
PULL LOW	FORCE PCIE GEN1	IGNORE DEBUG STRAP DEFAULT	FUSION CLOCK MODE DEFAULT	EC DISABLED DEFAULT	CLKGEN DISABLE	SPI ROM DEFAULT	S5 PLUS MODE ENABLED





DEBUG STRAPS

FCH HAS 15K INTERNAL PU FOR PCI_AD[27:23]

	PCI_AD27	PCI_AD26	PCI_AD25	PCI_AD24	PCI_AD23
PULL HIGH	USE PCI PLL DEFAULT	DISABLE ILA AUTORUN DEFAULT	USE FC PLL DEFAULT	USE DEFAULT PCIE STRAPS DEFAULT	DISABLE PCI MEM BOOT DEFAULT
PULL LOW	BYPASS PCI PLL	ENABLE ILA AUTORUN	BYPASS FC PLL	USE EEPROM PCIE STRAPS	ENABLE PCI MEM BOOT




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/10/12	Deciphered Date	2013/10/12	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				FCH-VSS/Strap	
Size B		Document Number		Rev 0.1	
Date: Friday, March 02, 2012		Sheet 16 of 37		LA8681P	





Security Classification		Compal Secret Data		Title	
Issued Date	2010/08/27	Deciphered Date	2011/08/27	JACK / HP / SPK	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Rev 0.1
				Date: Friday, March 02, 2012	Sheet 20 of 37

SATA HDD Conn.




SATA ODD FFC Conn.


SATA ODD Conn.




8/13
Reserve zero power ODD Function




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/08/04	Deciphered Date	2010/08/04	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				HDD & ODD CONN	
Size	Document Number	Rev		Date:	
Custpm	LA-8531P	0.1		Friday, March 02, 2012	
Sheet		21		of 37	





Place on MiniCard door




Analog Project ID definition







Analog Board ID definition

Reserve for EMI, close to EC
change to 10pF, 12/28 PVT




Security Classification		Compal Secret Data	
Issued Date	2010/08/04	Deciphered Date	2010/08/04
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			
Title			
EC ENE KB930			
Size	Document Number	Rev	
Custpm	LA-8531P	0.1	
Date:	Friday, March 02, 2012	Sheet	22 of 37









To TP/B Conn.





INT_KBD Conn.



Security Classification		Compal Secret Data		Title	
Issued Date	2010/08/04	Deciphered Date	2010/08/04	KB/TP/LED/SPI ROM/PWRb	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Document Number	0.1
				LA-8531P	
				Date: Friday, March 02, 2012	Sheet 23 of 37




Bluetooth Conn.







Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2010/08/04				Title			
Deciphered Date				2010/08/04				USB/BT			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size				Document Number			
								LA-8531P			
								Date: Friday, March 02, 2012			
								Sheet 24 of 37			

Mini-Express Card for WLAN










Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3V	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)















Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2010/08/04		Deciphered Date		2010/08/04		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Other IO/USB (right)					
						Size		Document Number		Rev	
								LA-8531P		0.1	
						Date:		Friday, March 02, 2012		Sheet 26 of 37	



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/08/04	Deciphered Date	2010/08/04	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				DC Interface	
Size	Document Number	LA-8531P		Rev	0.1
Date:	Friday, March 02, 2012	Sheet	27 of 37		




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/07/13	Deciphered Date	2011/07/13	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PWR DCIN / Pre-charge	
Size	Document Number	Rev		0.1	
Custom	Q5WT6 M/B LA-8531 Schematic	Date:		Friday, March 02, 2012	
Sheet		28		of 37	

Iada=0~3.421A (40W/19V=3.421A)

CP = 85%*Iada ; CP = 2.91A

ADP_I = 19.9*Iadapter*Rsense



CP mode
 $I_{input} = (1/0.02) (0.02 * V_{ac1m} / 2.39 + 0.02)$
where $V_{ac1m} = 0.396V$, $I_{input} = 2.91A$


BATT Type	Charging Voltage (0x15)	CV mode
Normal 3S LI-ON Cells	12600mV	12.60V

CC=0.6~4.48A
 $I_{REF} = 0.7224 * I_{charge}$
 $I_{REF} = 0.43V \sim 3.24V$

Ki
 $V_{chlim} = I_{ref} * (PR374 / (PR372 + PR374))$
 $= I_{ref} * (100K / (80.6K + 100K))$
 $= I_{ref} * 0.5537$
 $I_{charge} = (165mV / PR369) * (V_{chlim} / 3.3V)$
 $= (165m / 20m) * (1 / 3.3V) * I_{ref} * 0.5537$
 $= 1.3842 * I_{ref}$
 $I_{ref} = 0.7224 * I_{charge} \Rightarrow Ki = 0.7224$

Kv
Rinternal ic=514K Rec=3K R1=PR379=15.4K R2=PR381=31.6K
 $R = 514K / (31.6K // (15.4K + 3K)) = 11.372K$
 $r = 514K / 514K // 31.6K = 28.14K$
 $V_{cell} = 0.175 * V_{adj} + 3.99V$
 $4.2V = 0.175 * V_{adj} + 3.99V \Rightarrow V_{adj} = 1.2V$
 $V_{adj} = V_{ref} * (R / (R + 514K)) + CALIBRATE * (r / (r + 514K))$
 $1.1483 = CALIBRATE * 0.6046 \Rightarrow CALIBRATE = 1.899$
 $1.899 = (4.2 - (V_{cell} + A * 0.175)) * Kv = (4.2 - (4.2 + A * 0.175)) * Kv$
 $A = V_{ref} * (R / (R + 514K)) = 0.052$
 $Kv = 9.451$

Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2010/07/13				PWR-CHARGER			
Deciphered Date				2011/07/13				Q5WT6 M/B LA-8531 Schematic			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title				Rev			
Date				Friday, March 02, 2012				Sheet 29 of 37			





+3.3VALWP
Ipeak=5.57A ; 1.2*Ipeak=6.684A; Imax=3.899A
f=375KHz, L=4.7uH, Rentrip=137k ohm
Rdson=13.5~16.5m ohm
1/2Delta I = 1/2 *(19-3.3)*(3.3/19)/(375KHz*4.7uH)
=0.774A
Vlimit=10*10^-6*137Kohm/10=0.137V
Ilimit=0.137/(16.5m*1.2)~0.137/(13.5m*1.2)
=6.919A~8.456A
Iocp=7.6934A~9.23A

+5VALWP
Ipeak=7A ; 1.2*Ipeak=8.4A; Imax=4.9A
f=300KHz, L=4.7uH, Rentrip=154k ohm
Rdson=13.5~16.5m ohm
1/2Delta I = 1/2 *(19-5)*(5/19)/(300KHz*4.7uH)=1.306A
Vlimit=10*10^-6*154Kohm/10=0.15V
Ilimit=0.15/(16.5m*1.2)~0.15/(13.5m)=7.778~11.497A
Iocp=9.084~12.714A

TONSEL=VREF (1) SMPS1=300KHz (+5VALWP)
(2) SMPS2=375KHz (+3VALWP)


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/07/13	Deciphered Date	2011/07/13	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				3VALWP/5VALWP	
Size	Document Number	Q5WT6 M/B LA-8531 Schematic		Rev	
Custom				0.1	
Date:	Friday, March 02, 2012	Sheet	30	of 37	

CONN@ PJP2
SUYIN_200275GR008G13GZR




PH1 under CPU botten side :

CPU thermal protection at 92 degree C
Recovery at 56 degree C




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/07/13	Deciphered Date	2011/07/13	Title	PWR-BATTERY CONN/OTP
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	0.1
				Document Number	Q5WT6 M/B LA-8531 Schematic
				Date	Friday, March 02, 2012
				Sheet	31 of 37

```
+1.5VP
Ipeak=7.7A ; 1.2*Ipeak=9.24A ; Imax=5.39A
1/2Delta I=2.305(F=300K Hz)
PR88=(1.2*Ipeak-1/2Delta I) *Rds(on) (max)*1.2/9uA=6.65Kohm
Choose PR88=6.81Kohm (for safety >1.2Ipeak)
Rds(on)=6m ohm(max) ; Rds(on)=4.5m ohm(typical)
Ilimit_min=(6.81K*9uA)/(6m*1.2)=8.51A
Ilimit_max=(6.81K*9uA)/(4.5m*1.2)=11.35A
Iocp=Ilimit+1/2Delta I=10.81A~13.65A
Iocp(min)>1.2Ipeak
```




STATE	S3	S5	1.5VP	VTT_REFP	0.75VSP
S0	Hi	Hi	On	On	On
S3	Lo	Hi	On	On	Off (Hi-Z)
S4/S5	Lo	Lo	Off (Discharge)	Off (Discharge)	Off (Discharge)
Note: S3 - sleep ; S5 - power off					




VFB= 0.704V
 $V_o = VFB * (1 + PR103 / PR104) = 1.103V$
 Freq= 266~314KHz , 290KHz (typ)

Ipeak=4.5A ; 1.2*Ipeak=5.4A ; Imax=3.15A
 $1/2\Delta I = 0.785A$ (F=290K Hz)
 $PR123 = (1.2I_{peak} - 1/2\Delta I) * R_{ds(on)}(max) * 1.2 * 8/9\mu A = 88.6K\Omega$
 choose PR123=90.9Kohm (for safety >1.2Ipeak)
 $R_{ds(on)} = 18m\Omega$ (max) ; $R_{ds(on)} = 15m\Omega$ (typical)
 $I_{limit_min} = (90.9K * 9\mu A) / (8 * 18m * 1.2) = 6.25A$
 $I_{limit_max} = (90.9K * 9\mu A) / (8 * 15m * 1.2) = 7.5A$
 $I_{ocp} = I_{limit} + 1/2\Delta I = 7.035A \sim 8.285A$
 $I_{ocp(min)} > 1.2I_{peak}$




VFB= 0.704V
 $V_o = VFB * (1 + PR121 / PR120) = 1.05V$
 Freq= 266~314KHz , 290KHz (typ)

Ipeak=5.7A ; 1.2*Ipeak=6.84A ; Imax=3.899A
 $1/2\Delta I = 0.751A$ (F=290K Hz)
 $PR112 = (1.2I_{peak} - 1/2\Delta I) * R_{ds(on)}(max) * 1.2 * 8/9\mu A = 45.5K\Omega$
 choose PR112=49.9Kohm (for safety >1.2Ipeak)
 $R_{ds(on)} = 7m\Omega$ (max) ; $R_{ds(on)} = 5.3m\Omega$ (typical)
 $I_{limit_min} = (49.9K * 9\mu A) / (8 * 7m * 1.2) = 8.02A$
 $I_{limit_max} = (49.9K * 9\mu A) / (8 * 5.3m * 1.2) = 10.592A$
 $I_{ocp} = I_{limit} + 1/2\Delta I = 8.771A \sim 11.343A$
 $I_{ocp(min)} > 1.2I_{peak}$



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2010/01/25	Deciphered Date	2009/04/28	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				1.1VALWP/1.05VSP		
Size	Custom	Document Number		Rev		
Date:	Friday, March 02, 2012	Sheet	33	of 37		



Version change list (P.I.R. List)

Page 1 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1		Modify 40W adapter CP point	0.1	29	PR14 change to SD00000CI10 (S RES 1/2W 0.05 +-1% 1206 100PPM/C) PR40 change to SD034470180 (S RES 1/16W 4.7K +-1% 0402)	2011/10/28	EVT
2		Modify +1.05VSP OCP	0.1	33	PR112 change to SD034499280 (S RES 1/16W 49.9K +-1% 0402)	2011/10/28	EVT
3		Modify +1.1VALWP OCP	0.1	33	PR123 change to SD034909280 (S RES 1/16W 90.9K +-1% 0402)	2011/10/28	EVT
4		Modify +1.5VP OCP	0.1	32	PR88 change to SD034681180 (S RES 1/16W 6.81K +-1% 0402)	2011/10/28	EVT
5		Modify ISN CHOKE P/N	0.1	29	PL17 change to SH00000N300 (S COIL 1.2UH +-30% PNS40201R2YAF 3A)	2011/10/28	EVT
6		Modify bead P/N	0.1	30	PL3 change to SM01000JF00 (S SUPPRE_ FBMA-L11-453215-800LMA90T 1812)	2011/10/28	EVT
7		Change boost resister from 0 ohm to 2.2 ohm for RT8207 & TPS51125	0.1	30	PR87 & PR98 & PR107 change from 0 ohm to 2.2 ohm	2011/11/17	EVT2
8		Modify power sequence for RT8207(+1.5VP & 0.75VSP)	0.1	30	PR91 change from 0 ohm to 200K ohm	2011/11/17	EVT2
9		Modify compoment P/N for material issue	0.1	29	PQ7 change from SB00000I600(S TR SI4459ADY-T1-GE3 1P SO8) to SB00000JD10 (S TR AO4409L 1P SO8)	2011/11/23	EVT2
10		design change for EC(9012)	0.1	28	delete PD1,PD2,PR1,PR2,PR4,PC6	2011/11/28	EVT2
11		design change for EC(9012)	0.1	29	add PR575(S RES 1/16W 2.2 +-1% 0402) PC49 change to 1U_0603_10V6K	2011/11/28	EVT2
12		design change for EC(9012)	0.1	31	add PR124(0_0402_5%)	2011/11/28	EVT2
13					change PR56,PR57 from 0 ohm to 2.2 ohm		
14		Improve EMI performance	0.2		add PR58,PR60,PR93,PR119 (SD001470B80,S RES 1/4W 4.7 +-5% 1206) add PC44,PC45,PC104 (SE074681K80,S CER CAP 680P 50V K X7R 0402) add PC130 (SE025681K80,S CER CAP 680P 50V K X7R 0603) change PR189,PR190 from 0 ohm to 2.2 ohm	2011/12/20	DVT
15							
16		Modify +5VALW voltage for USB port voltage drop (HW request +5VALW up 3%)	0.2	31	change PR51 from 30K ohm to 31.6K ohm	2011/12/20	DVT

Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/04/12	Deciphered Date	2010/10/12	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PIR (PWR)
Size	Document Number	Rev		
Custom	Q5WT6 LA-8531	0.1		
Date:	Friday, March 02, 2012	Sheet	35	of 37

Version change list (P.I.R. List)

Page 2 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1		Modify component P/N for material shortage issue	0.2		change PC8,PC9,PC25,PC26,PC57,PC58 to SE000000QK00 (S CER CAP 10U 25V K X5R 0805 H1.25	2011/12/20	DVT
2		Change OTP from 9012 to G718	0.2	31	Delete PR124 (0_0402_5%)	2011/12/28	DVT
3		Change CP for 65W adapter	0.3	29	Change PR14 from SD000000CI10(S RES 1/2W 0.05 +-1% 1206 100PPM/C) to SD0000001F00 (S RES 1W .02 +-1% 2512)	2012/2/6	PVT
4		Change CP for 65W adapter	0.3	29	Change PR40 from 4.7K to 4.7K Change PR43 from 20K to 2.26K	2012/2/6	PVT
5		Modify for component common P/N	0.3	32	change PQ36 from SB0000009Q80 to SB0000009610	2012/2/13	PVT
6		Modify for component P/N for cost concern	0.3	32	change PC128 from SGA000002280 (S POLY C 330U 2.5V Y D2 LESR15M CX H1.9) to SGA20331E10 (S POLY C 330U 2V Y D2 LESR9M EEFSX H1.9)	2012/2/24	PVT
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2010/04/12	Deciphered Date	2010/10/12	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PIR (PWR)		
Size	Document Number	Rev				
Custom	Q5WT6 LA-8531	0.1				
Date:	Friday, March 02, 2012	Sheet	36	of	37	

	5	4	3	2	1																											
D	2011/10/06 P13. DEL net SMIB(R1219) for EMC request P17. change C940 to 120PF (SE000000U400) P23. modify C747-C772 BOM structure for ESD request P17. modify D58 BOM structure P19. modify D49 D51 BOM structure P20. modify D52 D55 D63 D68 BOM structure P24. modify D10 BOM structure	2011/12/16 ADD ZERO8,1,408,1,708 P04. modify R430,R431,R433,R434 0ohm symbol,change C237,C238 bom structure P09. modify R484 0ohm symbol P12. ADD GPI030,GPI031,modify R1503-R1508,R1510-R1513 0ohm symbol P13. change ODD_PWR to GPI053 P14. DEL GPI0190 P17. modify R909,R1144 0ohm symbol P18. modify R1164 0ohm symbol P22. change R470 to 18K P26. change SW3 to @	2012/02/09 P13. add R1626																													
	2011/10/11 P26. del H6 update PWR schematic		2012/02/13 P13. change R1626 Bom structure update PWR schematic																													
	2011/10/14 for ESD request P19. change D56 to SCA00001A00 update PWR schematic P25. change C1576 to 150UF P24. change JUSB1 to DC233007000	2011/12/19 P23. change LED1,2,4 to SC500005920 change LED3,5,6,7 to SC591TBKA10 P14. change ODD_DETECT# to U102_W7 change ODD_DA#_FCH to U102_P6	2012/03/02 P26. add H29 H30 for ME request update PWR schematic																													
C	2011/10/18 update PWR schematic	2011/12/21 update PWR schematic	2012/03/05 P22. change R470 to 56K																													
	2011/10/19 P02. update page no. P19. change U100,pin26 to AGND P21. add JTP2 P26. del H28,29 add H28_3P0 update PWR schematic	2011/12/22 for ESD request P06. add C1778,C1779 P12. add C1780 P18. add C1781 P22. add C1782 for small size request change Y6,Y7 to SJ10000E500																														
	2011/10/24 P09. R393 pin1 change to +3VS R396 change to 0402 size P27. R1101,R1102,R1110,R1120,R1128,R1135,R1137 change to 0402 size for EMC request P17. change C940 to 100pf SE000000U900	2011/12/23 P11. mmodify L57-L59 symbol P22. add R1611 pull high add R1612 pull GND																														
B	2011/10/26 for EMC request P27. modify C1457-C1460, Add C1686 for EC request P22. Add C1685 for PWR request P30. change PL3 to SM01000JF00	2011/12/28 P13. modify U103 to SA00003K800 P22. modify R1611,1612 BOM structure P23. change LED1,2,4 to SC500005930 update PWR schematic for EMI request P17. change T97,98 to SP050006H00 P18. change C1248,C1522 to 4.7P SE07147AB80 change R1808,R1168,R1165 to 10ohm SD028100A80 change C15198 to 10P SE071100J80 for ESD request P06. modify C1778 BOM structure P18. modify C1781 BOM structure P22. modify C1782 BOM structure																														
	2011/10/28 P02. update block diagram P19. change JUMP location to J18-J23																															
	2011/10/31 update PWR schematic	2012/01/20 add ODD8 for normal ODD P12. Y7 change to SJ00000E800 P17. Y6 change to SJ00000E800 P18. C1522,C124 change to SE07147AC80 P21. change R955 to ODD8 P22. change R470 to SD028330200 for PVT BOARD ID P23. R478,R498,R1217 change to SD028390080 R511,R499 change to SD000008H80 R1218 change to SD000003S80 P25. ADD +3VALM_WLAN net ADD J24,J25 jump																														
A	2011/11/18 P12. Change chipset to M3L P14. Add GPI0189 for panel BOM control P22. co-lay KB930/9012 P23. update JTP1 footprint P25. Del JMINI2 P27. Del U95 update power schematic	2012/02/01 P09. Add J24 for AOIC P17. Add R1613,C1783,Q1903,R1157 Add net LAN_PWR_EN# P22. Add net WLAN_PWR_ON,LAN_PWR_EN# EC_BT_OFF#,WLAN_PME# P25. Del Q137,D69,J24 and net BT_ON# Add net WLAN_PME#,EC_BT_OFF#,WLAN_PWR_ON Add R1620,R1618,C1785,R1619,Q1902,Q1904,R1617																														
	2011/11/23 P23. D118, D138 for ESD P26. Add R1606 update power schematic	2012/02/02 P25. ADD R1621 for RTC P12. C1704,C1705 change to SE071100J80 P17. C1485,C1486 change to SE071120J80																														
	2011/11/24b P24. modify JUSB2 net name P14. change EDP status to GPI0187 and modify H/L update power schematic																															
A	2011/11/25 P14. change LAN_CLKREQ# to U102.AG25 change MINI1_CLKREQ# to U102.AE24 P22. change VGATE to U26.97 change ACIN to U26.110 change 3S/4S# to U26.98	2012/02/07 update POWER schematic update U22 to SA00005DX30,SA00005DW30 update U102 to SA00005DY70 P09. add R1621,C1786 P24. add R1622-24,C1787-89 P25. add R1625,C1790 del R1621 P04. del R169 change AMD Debug component to @																														
	2011/11/29 P11. change L57-L59 to SM010005220 for CRT issue P12. change U102 to SA000005DY10 P23. change SW1, SW2 to SN100000K00 update PWR schematic																															
	5	4	3	2	1																											
<table><tr><td colspan="2">Security Classification</td><td colspan="2">Compal Secret Data</td><td colspan="2">Title</td></tr><tr><td colspan="2">Issued Date</td><td>2010/08/20</td><td>Deciphered Date</td><td>2011/08/20</td><td colspan="2">HW-PIR</td></tr><tr><td colspan="5">THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.</td><td>Size B</td><td>Rev 0.2</td></tr><tr><td colspan="5">Date: Monday, March 05, 2012</td><td>Sheet 37</td><td>of 37</td></tr></table>						Security Classification		Compal Secret Data		Title		Issued Date		2010/08/20	Deciphered Date	2011/08/20	HW-PIR		THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Size B	Rev 0.2	Date: Monday, March 05, 2012					Sheet 37	of 37
Security Classification		Compal Secret Data		Title																												
Issued Date		2010/08/20	Deciphered Date	2011/08/20	HW-PIR																											
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Size B	Rev 0.2																										
Date: Monday, March 05, 2012					Sheet 37	of 37																										