

Compal Confidential

NEW50/70/80/90 M/B Schematics Document

Intel Arrandale Processor with DDRIII + Ibex Peak-M
ATI Madision/Park


2010-01-07

REV: 1.0

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	Cover Page	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF FIRST DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	NEW70 M/B LA-5891P Schematic	Rev 1.0
				Date	Friday, January 08, 2010	Sheet 1 of 59

Fan Control
page 38

Clock Generator
IDT: 9LVS3199AKLFT
Realtek: RTM890N-631-VB-GRT
133/120/100/96/14.318MHZ to PCH
page 12



Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
BATT+	Battery power supply (12.6V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+VGA_CORE	Core voltage for GPU	ON	OFF	OFF
+VGFX_CORE	Core voltage for Arrandale GPU (only for arrandaleCPU)	ON	OFF	OFF
+0.75VS	+0.75VP to +0.75VS switched power rail for DDR terminator	ON	OFF	OFF
+1.0VSDGPU	+1.0VSPDGPU to +1.0VSDGPU switched power rail for GPU	ON	OFF	OFF
+1.05VS_VTT	+1.05VS_VTTP to +1.05VS_VTT switched power rail for ARD CPU	ON	OFF	OFF
+1.05VS_PCH	+1.05VS_VTT to +1.05VS_PCH power for PCH	ON	OFF	OFF
+1.5V	+1.5VP to +1.5V power rail for DDRIII	ON	ON	OFF
+1.5VS	+1.5V to +1.5VS switched power rail	ON	OFF	OFF
+1.5VSDGPU	+1.5VS to +1.5VSDGPU switched power rail for GPU	ON	OFF	OFF
+1.8VS	(+5VALW or +3VALW) to 1.8V switched power rail to PCH & GPU	ON	OFF	OFF
+3VALW	+3VALW always on power rail	ON	ON	ON*
+3VALW_EC	+3VALW always to KBC	ON	ON	ON*
+3V_LAN	+3VALW to +3V_LAN power rail for LAN	ON	ON	ON*
+3V	+3VALW to +3V power rail for PCH (Short Jumper)	ON	ON	ON*
+3VS	+3VALW to +3VS power rail	ON	OFF	OFF
+5VALW	+5VALWP to +5VALW power rail	ON	ON	ON*
+5V	+5VALW to +5V switched power rail for PCH (Short resister)	ON	ON	ON*
+5VS	+5VALW to +5VS switched power rail	ON	OFF	OFF
+VSB	+VSBP to +VSB always on power rail for sequence control	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON
Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.				

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b		

EC SM Bus2 address

PCH SM Bus address

Device	Address	
Clock Generator (9LVS3199AKLFT, RTM890N-631-VB-GRT)	1101 0010b	3G & BT Config
DDR DIMM0	1001 000Xb	3G SKU: 3G@
DDR DIMM2	1001 010Xb	BT SKU: BT@
GPU BOM Config		
UMAHD@	VGAHD@	HDMI@
UMA	V	X
VGA	X	V
SG	X	V
NO HDMI	X	X
VRAM BOM Config		
X761@:	X76198BOL01	Park Samsung 512MB
X762@:	X76198BOL02	Park Hynix 512MB
X763@:	X76198BOL03	Madision Samsung 1024MB
X764@:	X76198BOL04	Madision Hynix 1024MB
X765@:	X76198BOL05	Park AMD 512MB
X766@:	X76198BOL06	Madision AMD 1024MB
LED BOM config		
NEW70,80 SKU:	7080@	
NEW50,90 SKU:	5090@	

BOM Config	
UMA W/O HDMI SKU:	BT@/3G@/UMA@/UMAO@
UMA W/ HDMI SKU:	BT@/3G@/UMA@/UMAO@/HDMI@/UMAHD@
Discrete W/O HDMI SKU:	BT@/3G@/DIS@/DISO@/VGA@
Discrete W/ HDMI SKU:	BT@/3G@/DIS@/DISO@/VGA@/HDMI@/VGAHD@
Switchable W/O HDMI SKU:	BT@/3G@/DIS@/UMA@/VGA@/SG@
Switchable W HDMI SKU:	BT@/3G@/DIS@/UMA@/VGA@/SG@/HDMI@/VGAHD@

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1 (Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

BOARD ID Table

Board ID	PCB Revision
0	0.1
1	0.2
2	0.3
3	1.0
4	
5	
6	
7	

BTO Option Table


BTO Item	BOM Structure
UMA	UMA@
UMA Only	UMAO@
Discrete	DIS@
Discrete Only	DISO@
GPU ALL Components	VGA@
VRAM	X76@
Switchable	SG@
Connector	CONN@
3G	3G@
Blue Tooth	BT@
Unpop	@
UMA HDMI	UMAHD@
Discrete HDMI	VGAHD@
UMA & DIS POP HDMI	HDMI@
GPU Madision	MADI@
GPU Park	PARK@
NEW70,80 LED	7080@
NEW50,90 LED	5090@


USB Port Table

USB 2.0	USB 1.1	Port	3 External USB Port
EHC11	UHCI0	0	USB/B (Right Side)
		1	USB Port (Left Side)
	UHCI1	2	USB/B (Right Side)
		3	
	UHCI2	4	
		5	
	UHCI3	6	
		7	
EHC12	UHCI4	8	Camera
		9	Card Reader
	UHCI5	10	SIM Card
		11	Blue Tooth
	UHCI6	12	Mini Card(WLAN)
		13	Mini Card(GPS)



X76@			ID3, ID1 : VRAM Vender		ID2: VRAM Size	
Location		VRAM_ID3	VRAM_ID1	Location		VRAM_ID2
VRAM				VRAM		
Samsung	0	R492	0	R474	8PCS 64Mx16	0
HYNIX	1	R491	0	R474	4PCS 64Mx16	1
AMD	1	R491	1	R473		
VRAM P/N :						
Samsung : SA000035700 (S IC D3 64MX16 K4W1G1646E-HC12 FBGA 96P)						
Hynix : SA000032400 (S IC D3 64MX16 H5TQ1G63BFR-12C FBGA 1.5V)						
AMD : SA00003PF20 (S IC D3 23EY2387MB-12)						

Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/08/01		Deciphered Date		2010/08/01		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								Notes List			
								Document Number		Rev	
								NEW70 M/B LA-5891P Schematic		1.0	
								Date: Tuesday, December 29, 2009		Sheet 3 of 59	








Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2009/08/01		Deciphered Date		2010/08/01		Title				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						PROCESSOR (3/6) DDRIII						
						Size B	Document Number			Rev 1.0		
						NEW70 M/B LA-5891P Schematic						
						Date:		Tuesday, December 29, 2009		Sheet 6 of 59		









Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2009/08/01		Deciphered Date		2010/08/01		Title				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						PROCESSOR (6/6) VSS						
						Size	Document Number			NEW70 M/B LA-5891P Schematic		Rev 1.0
						Custom						
						Date:		Tuesday, December 29, 2009		Sheet	9	of



Layout Note:
Place near JDIMM1




Layout Note:
Place near JDIMM1.203 & JDIMM1.204




**DDR3 SO-DIMM A
H=8mm**

Security Classification		Compal Secret Data		Compal Electronics, Inc.					
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	DDR3-SODIMM SLOT1				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE COMPETENT DIVISION OF PRODUCT DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Docu-ment Number	Rev				
				NEW70 M/B LA-5891P Schematic	1.0				
				Date:	Tuesday, December 29, 2009	Sheet	10	of	59




2008/9/8 #400755
Calpella Clarkfield
DDR3 SO-DIMM
VREFDQ Platform
Design Guide Change Details





Layout Note:
Place near JDIMM2

Layout Note: Place these 4 Caps near Command
and Control signals of DIMMB




Layout Note:
Place near JDIMM2.203 & JDIMM2.204




DDR3 SO-DIMM B
H=4mm

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF PRODUCT DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	
				NEW70 M/B LA-5891P Schematic	
				Date	Tuesday, December 29, 2009
				Sheet	11 of 59
				Rev	1.0


SM010014520 3000ma 220ohm@100mhz DCR 0.04




SM010014520 3000ma 220ohm@100mhz DCR 0.04



SM010014520 3000ma 220ohm@100mhz DCR 0.04




Clock Generator




IDT: 9LRS3199AKLFT, SA000030P00
SILEGO: SLG8SP587V(WF), SA00002XY10
Low Power:
IDT: 9LVS3199AKLFT, SA00003HR00
Realtek: RTM890N-631-VB-GRT, SA00003HQ10




IDT 9LVS3199AKLFT NC




IDT Have Internal Pull-Down
FOR Realtek



PIN 30	CPU_0	CPU_1
0 (Default)	133MHz	133MHz
1	100MHz	100MHz



Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/08/01				Deciphered Date			
2010/08/01				Title				Clock Generator (CK505)			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size				Document Number			
				CUSTOMER				NEW70 M/B LA-5891P Schematic			
				Date:				Tuesday, December 29, 2009			
				Sheet				12 of 59			



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	PCH (1/9) SATA,HDA,SPI, LPC
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Customer	NEW70 M/B LA-5891P Schematic
				Date	Tuesday, December 29, 2009
				Sheet	13 of 59
				Rev	1.0

For PCIE LAN

For Wireless LAN

For Mini2

For PCIE LAN

For Wireless LAN

1. Connect Directly EXPRESS CARD, MINI1, MINI2
2. Level Shift1, Pull-Up to +3VS
3. Level Shift2, Pull-Up to +3VS
4. Level Shift3, Pull-Up to +3VS

6/9 MOW23 Request add 25MHz crystal supporting Integrated Graphics

Change to 5x3.2

U41B REV1.0

PCI-E*

From CLK BUFFER

Clock Flex

1222 GPIO66
PULL HIGH:8L
PULL DOWN:6L

Project Structure

GPIO21	GPIO65	GPIO66	Structure
ID2	ID1	ID0	Structure
0	0	0	DVT
0	0	1	
0	1	0	PVT

Security Classification

Compal Secret Data

Issued Date

2009/08/01

Deciphered Date

2010/08/01

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title

PCH (2/9) PCIE, SMBUS, CLK

Size

Document Number

Customer

NEW70 M/B LA-5891P Schematic

Rev


1.0


Date


Friday, January 08, 2010

Sheet


14 of 59









Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	PCH (7/9) PWR
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Customer	NEW70 M/B LA-5891P Schematic
				Date	Tuesday, December 29, 2009
				Sheet	19 of 59
				Rev	1.0






4 PEG GTX_HRX_N[0..15]
4 PEG GTX_HRX_P[0..15]
4 PEG HTX_C_GRX_N[0..15]
4 PEG HTX_C_GRX_P[0..15]

GFX PCIE LANE REVERSAL




add for VB support.



Park XT P/N : SA00003M500 (S IC 216-0774009 A11 PARK XT S3 631P C38)
Madison Pro P/N : SA00003M300 (S IC 216-0772000 MADISON PRO FCBGA 0FA)












Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	M96_PCIE / LVDS	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF FACTORY DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	NEW70 M/B LA-5891P Schematic	
				Customer		
				Date:	Tuesday, December 29, 2009	Sheet 22 of 59
				Rev	1.0	

Strap Name		Pin Straps description <all internal PD>	Setting
VIP_DEVICE_EN	V2SYNC	VIP Device Strap Enable indicates to the software driver 0: Driver would ignore the value sampled on VHAD_0 during reset 1: VHAD_0 to determine whether or not a VIP slave device	0
VGA_DIS	GPIO9	VGA Disable determines 0: VGA Controller capacity enabled 1: The device will not be recognized as the system's VGA controller	0
TX_PWRS_ENB	GPIO0	Transmitter Power Saving Enable 0: 50% Tx output swing for mobile mode 1: full Tx output swing (Default setting for Desktop)	1
TX_DEEMPH_EN	GPIO1	PCI Express Transmitter De-emphasis Enable 0: Tx de-emphasis disabled for mobile mode 1: Tx de-emphasis enabled (Default setting for desktop)	1
CONFIG[2] CONFIG[1] CONFIG[0]	GPIO13 GPIO12 GPIO11	GPIO13,12,11 (config 2,1,0) : a) If BIOS_ROM_EN = 1, then Config[2:0] defines the ROM type. memory apertures CONFIG[3:0] 128 MB 000 b) If BIOS_ROM_EN = 0, then Config[2:0] defines the primary memory aperture size. 256 MB 001 64 MB 010	001
BIOS_ROM_EN	GPIO22	Enable external BIOS ROM device 0: Disable, 1: Enable	0
AUD[1] AUD[0]	HSYNC VSYNC	00: No audio function; 10: Audio for DisplayPort only; 01: Audio for DisplayPort and HDMI if adapter is detected; 11: Audio for both DisplayPort and HDMI	11
BIF_GEN2_EN	GPIO2	0: Advertises the PCIe device as 2.5 GT/s capable at power-on 1: Advertises the PCIe device as 5.0 GT/s capable at power-on 5.0 GT/s capability will be controlled by software	0
RESERVED	H2SYNC GPIO8 GPIO21	Internal use only. THIS PAD HAS AN INTERNAL PULL-DOWN AND MUST BE 0 V AT RESET. The pad may be left unconnected	




Location	VRAM_ID3	VRAM_ID2	VRAM_ID1	VRAM_ID0
Samsung	64Mx16	64Mx16	0	0
HYNIX	1	<4PCS>	0	0
AMD	1	<4PCS>	1	0

Location	VRAM_ID3	VRAM_ID2	VRAM_ID1	VRAM_ID0
Samsung	64Mx16	64Mx16	0	0
HYNIX	1	<4PCS>	0	0
AMD	1	<4PCS>	1	0



Security Classification	Compal Secret Data	Deciphered Date	2010/08/01
Issued Date	2009/08/01	Deciphered Date	2010/08/01
Title: M96 Strape/DP/HDMI/CRT			
Size	Document Number	NEW70 M/B LA-5891P Schematic	
Date	Thursday, January 07, 2010	Sheet	23 of 59

Park is single channel for memory (channel B only)



If use M96 upper resistor will change to 100ohm for MVREFDA/B and MVREFSA/B

In M97, Medison and Park, AF28 is FB_VDDC, AG28 is FB_VDDCI, AH29 is FB_GND. GCORE_SEN and FB_GND should route as differential pair Same as VDDCI_SEN and FB_GND

M96 no support


2009/08/20 del AG28 VDDCI_SEN

2009/09/18 change R64 PD change to +3VSDGPU

If use M96 upper resistor will change to 100ohm for MVREFDA/B and MVREFSA/B


M96 use 4.7K to PD directly.

	M96	Broadway
R228	4.7k Ohm	10k Ohm
R159	SD028470180	SD028100280
R159	SD02800080	SD02860080
R159	SD028470180	SD02860080
C659	1000 pf	68 pf
C659	SD074102K80	SD071680J80





Back Bias is not supported on
M97,Broadway,Madison and Park
Connect to VDDCI directly

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	M96 Power/GND
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF COMPAL ELECTRONICS, INC. DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Document Number NEW70 M/B LA-5891P Schematic
					Rev 1.0
					Date: Tuesday, December 29, 2009 Sheet 25 of 59









Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	M96 Power/GND	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF FIRST DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev 1.0	
				NEW70 M/B LA-5891P Schematic		
Date: Tuesday, December 29, 2009				Sheet	26 of 59	







LCD POWER CIRCUIT




LCD/LED PANEL Conn.



SWITCHABLE




UMA ONLY



Discrete ONLY


Security Classification	Compal Secret Data		Title	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	LVDS Connector
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF COMPAL ELECTRONICS, INC. WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer: NEW70 M/B LA-5891P Schematic
				Date: Wednesday, January 06, 2010 Sheet 29 of 59

CRT Connector



SWITCHABLE

2009/08/27




L	B1	DIS
H	B2	UMA

UMA only





16	PCH_CRT_R	PCH CRT R	R536	2	UMA@	1	0.0402 5%	CRT_R
16	PCH_CRT_G	PCH CRT G	R534	2	UMA@	1	0.0402 5%	CRT_G
16	PCH_CRT_B	PCH CRT B	R532	2	UMA@	1	0.0402 5%	CRT_B
16	PCH_CRT_HSYNC	PCH CRT HSYNC	R530	2	UMA@	1	0.0402 5%	CRT_HSYNC
16	PCH_CRT_VSYNC	PCH CRT VSYNC	R528	2	UMA@	1	0.0402 5%	CRT_VSYNC
16	PCH_CRT_CLK	PCH CRT CLK	R544	2	UMA@	1	0.0402 5%	CRT_DDC_CLK
16	PCH_CRT_DATA	PCH CRT DATA	R543	2	UMA@	1	0.0402 5%	CRT_DDC_DATA

Discrete only


23	VGA_CRT_R	VGA CRT R	R537	2	DIS@	1	0.0402 5%	CRT_R
23	VGA_CRT_G	VGA CRT G	R535	2	DIS@	1	0.0402 5%	CRT_G
23	VGA_CRT_B	VGA CRT B	R533	2	DIS@	1	0.0402 5%	CRT_B
23	VGA_CRT_HSYNC	VGA CRT HSYNC	R531	2	DIS@	1	0.0402 5%	CRT_HSYNC
23	VGA_CRT_VSYNC	VGA CRT VSYNC	R529	2	DIS@	1	0.0402 5%	CRT_VSYNC
23	VGA_DDC_CLK	VGA DDC CLK	R527	2	DIS@	1	0.0402 5%	CRT_DDC_CLK
23	VGA_DDC_DATA	VGA DDC DATA	R526	2	DIS@	1	0.0402 5%	CRT_DDC_DATA






Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF PRODUCT DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number
				NEW70 M/B LA-5891P Schematic
				Rev 1.0
				Date: Tuesday, December 29, 2009 Sheet 30 of 59






Option	UMAHD@	VGAHD@	HDMI@	@	SG@
UMA	V	X	V	X	X
VGA	X	V	V	X	X
SG	X	V	V	X	V
NO HDMI	X	X	X	X	X



CG0	CG1	CG2	Swing	Pre-amp	Slew-rate
0	0	0	450	0	0
0	0	1	420	0	-3db
0	1	0	450	0	-3db (default)
0	1	1	460	0	-4db
1	0	0	340	0	0
1	0	1	400	2db	0
1	1	0	400	2db	0
1	1	1	420	0	0




EQ0	EQ1	Equalization
0	0	12dB
0	1	9dB
1	0	6dB
1	1	3dB (default)




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				HDMI Level Shift & Conn	
Size	Document Number	Date		Rev	
Custom	NEW70 M/B LA-5891P Schematic	Tuesday, December 29, 2009		1 of 59	





SATA HDD1 Conn.




SATA ODD Conn.




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title	HDD & ODD Connector
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Part Number	NEW70 M/B LA-5891P Schematic
				Customer	Rev 1.0
Date:	Tuesday, December 29, 2009	Sheet	32	of	59




	SPROM_CLK (EECLK)	SPROM_DOUT (EEDATA)
On chip	1	0
AT24C02	1	1



LAN Connector




BOTHHAND: S X'FORM_ GST5009-D LF LAN, SP050006B00
TIMAG:S X'FORM_ IH-160 LAN , SP050006F00




Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title LAN Magnetic & RJ45		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Cust	NEW70 M/B LA-5891P Schematic	1.0
				Date:	Tuesday, December 29, 2009	Sheet 34 of 59







For Wireless LAN



For 3G / GPS To 3G Module Connect



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				MINI CARD (WLAN & TV-Tuner)	
Size	Document Number	Customer	NEW70 M/B LA-5891P Schematic	Rev	1.0
Date:	Monday, January 04, 2010	Sheet	35	of	59



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				USB / BT / USBB	
Size	Document Number	NEW70 M/B LA-5891P Schematic			Rev 1.0
Date:	Tuesday, December 29, 2009	Sheet	36	of 59	

Place on RAM door

Place on MiniCard


Board ID definition,
Please see page 3.

TP_CLK 2 1 4.7K_0402_5%
TP_DATA 2 1 4.7K_0402_5%
3S/4S# 2 1 100K_0402_5%
65W/90W# 2 1 100K_0402_5%




PCH_TEMP_ALERT# Pull high at Page 18 (PCH side)

Project ID definition,
Please see page 3.


BATT_TEMP 2 1 100P_0402_50V8J
BATT_OVP 2 1 100P_0402_50V8J
ACIN 2 1 100P_0402_50V8J




Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2008/08/10		Deciphered Date		2010/08/01		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						EC ENE KB926					
						Size		Document Number		Rev	
						B		NEW70 M/B LA-5891P Schematic		1.0	
						Date:		Tuesday, December 29, 2009		Sheet 37 of 59	







LED/B RIGHT



LED/B LEFT




LED Status	Power/SUS		Battery		3G/WLAN		BlueTooth	ACIN
	ON	SUS	Full	Charge	3G	WLAN		
NEW70/80/90	Blue	Amber	Blue	Amber	Blue	Amber		




Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2008/08/10		Deciphered Date		2010/08/01		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				2008/08/10		2010/08/01		2010/08/01		BIOS, I/O Port & K/B Connector	
										Document Number	
										NEW70 M/B LA-5891P Schematic	
										Rev 1.0	
										Date: Thursday, January 07, 2010	
										Sheet 38 of 59	

Power Button



ON/OFF switch





Power ON Circuit



Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2008/08/10				Deciphered Date			
								2010/08/01			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF PRODUCT DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title				Power OK			
				Document Number				NEW70 M/B LA-5891P Schematic			
				Date				Tuesday, December 29, 2009			
				Sheet				39 of 59			
				Rev				1.0			





SM010015410 300ma 80ohm@100mhz DCR 0.3





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title	HD Audio Codec ALC272X
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc Number	Rev
				Customer	1.0
Date: Tuesday, December 29, 2009				Sheet	40 of 59

GAIN0	GAIN1	AV (inv)	Ri
0	0	6dB	90k
0	1	10dB	70k
1	0	15.6dB	45k
1	1	21.6dB	25k





Int. Speaker Conn.







Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title	Amplifier & Audio Jack
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT TO ANY OTHER DIVISION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Docu	Rev
				Customer	1.0
				NEW70 M/B LA-5891P Schematic	
				Date	Tuesday, December 23, 2009
				Sheet	41 of 59





FAN1 Conn





Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date		2008/08/10		Deciphered Date		2010/08/01	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title			
				FAN & Screw Hole			
				Document Number			
				NEW70 M/B LA-5891P Schematic			
				Rev 1.0			
Date:		Tues, Dec 29, 2009		Sheet		42 of 59	



2009/08/14
CP_S3PowerReduction
WhitePaper_Rev0.9
0.75VS speed up discharge





Security Classification		Compal Secret Data			Compal Electronics, Inc.			
Issued Date		2008/08/10	Deciphered Date	2010/08/01	Title	DC Interface		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF PERSONNEL DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Document Number			Rev
					NEW70 M/B LA-5891P Schematic			1.0
					Date	Thursday, January 07, 2010	Sheet	43




Vin Dectector

	Min.	Typ	Max.
H-->L	16.976V	17.525V	17.728V
L-->H	17.430V	17.901V	18.384V





Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2007/09/20		Deciphered Date		2010/08/01		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						DCIN & DETECTOR					
						Size		Document Number		Rev	
						Cust		NEW70 M/B LA-5891P Schematic		1.0	
						Date:		Tuesday, December 29, 2009		Sheet 44 of 59	




PH1 under CPU botten side :

CPU thermal protection at 92 degree C
Recovery at 56 degree C



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/08/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	NEW70 M/B LA-5891P Schematic
				Date:	Tuesday, December 29, 2009
				Sheet	45 of 59
				Rev	1.0



For +5VALWP
 Power Budget=8.8A, Ipeak=7A, I max=4.9A
 Fsw=300KHz by RT8206 setting.
 $\Delta I=2.61A$, $1/2\Delta I=1.306A$
 $5uA \cdot PR344=10 \cdot I_{ocpmin} \cdot R_{dsonmax} \cdot 1.3$
 $\Rightarrow PR344=397K\Omega \sim 402K\Omega$


$5uA \cdot 402K=10 \cdot I_{LIMTmin} \cdot 18m\Omega \cdot 1.3$
 $I_{LIMTmin}=5.589A$
 $5uA \cdot 402K=10 \cdot I_{LIMTmax} \cdot 15m\Omega \cdot 1.1$
 $I_{LIMTmax}=12.181A$
 $I_{ocp}=9.89A \sim 13.48A$


For +3VALWP
 Power Budget=4.72A, Ipeak=4.72A, I max=4A
 $I_{ocpmin}=4.72 \cdot 1.2=5.664 \sim 5.7A$
 Fsw=375KHz, $\Delta I=1.547A$, $1/2\Delta I=0.773A$
 $5uA \cdot PR345=10 \cdot I_{ocpmin} \cdot R_{dsonmax} \cdot 1.3$
 $5uA \cdot PR345=10 \cdot 5.7A \cdot 18m\Omega \cdot 1.3$
 $PR345=266.76K\Omega \sim 267K\Omega$

$5uA \cdot 267K\Omega=10 \cdot I_{LIMTmin} \cdot 18m\Omega \cdot 1.3$
 $I_{LIMTmin}=5.705A$
 $5uA \cdot 267K\Omega=10 \cdot I_{LIMTmax} \cdot 15m\Omega \cdot 1.1$
 $I_{LIMTmax}=8.09A$
 $I_{ocp}=6.47A \sim 8.86A$

Security Classification		Compal Secret Data		Title	
Issued Date	2009/02/04	Deciphered Date	2010/08/01	3VALW/5VALW	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	NEW70 M/B LA-5891P Schematic
				Date	Tuesday, December 29, 2009
				Sheet	46 of 59
				Rev	1.0

CP = 85%*Iada ; CP = 4.07A
CP = 85%*Iada ; CP = 2.91A





ACIN


Precharge detector

	Min.	typ.	Max
H-->L	14.589V	14.84V	15.243V
L-->H	15.562V	15.97V	16.388V

BATT ONLY

Precharge detector

	Min.	typ.	Max
H-->L	6.138V	6.214V	6.359V
L-->H	7.196V	7.349V	7.505V




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/08/01	Title	PRECHARGE
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Customer	NEW70 M/B LA-5891P Schematic
				Date	Tuesday, December 29, 2009
				Sheet	48 of 59
				Rev	1.0




Size	Document Number	Rev
Custom	NEW70 M/B LA-5891P Schematic	1
Date:	Tuesday, December 29, 2009	Sheet 49 of 59

Because +1.5VSP has 17.74A power budget, it includes DDR3, VGA chip, VRAM, so must use molding choke.



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title 1.5VP		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Customer	NEW70 M/B LA-5891P Schematic	1.0
Date:				Tuesday, December 29, 2009	ISheet	50 of 59




$F_{sw} = 1 / (PR470 * K) = 231KHz,$
 $K = 75 * 10^{-12}$
 $+1.05VSP_VTT$
 $I_{peak} = 25A$
 $I_{max} = 17.5A$
 $R_{sen}(PR467) = 2.2K$
 $I_{ocp} = 31.19A \sim 56.41A$
 $V_{ref} = (R_b / (R_{top} + R_{bot})) * V_o$
 $\Rightarrow 0.6 = (6.65 / (5.11 + 6.65)) * V_o$
 $V_o = 1.061V$

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/4/15	Deciphered Date	2010/08/01	Title	+1.05VS_VTTP
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Customer	NEW70 M/B LA-5891P Schematic
				Date	Tuesday, December 29, 2009
				Sheet	52 of 59
				Rev	1.0

```


Intel Auburndale CPU(Integrate Graphics) Ipeak=22A Imax=15A
OCF calculation : Assume DCR=1.1m ohm
G1=Rn/(Rn+Rsum)=0.617
where Rn=PR277 // (PR274+PH3)=5.875k ohm
Rsum=PR269=3.65k ohm
LL=2*Rdroop*G1*DCR/Ri= 6.96m V/A
where Rdroop=PR271=8.66k ohm, Ri=PR283=1.69k ohm
Iocp=OCF Threshold*Rdroop/LL=24.89A

```



2009-1214 common circiut modify.

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/4/15	Deciphered Date	2010/08/01	Title	GFX COREP
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size C Document Number NEW70 M/B LA-5891P Schematic	Rev. 1.0
Date: Tuesday, December 29, 2009				Sheet 53 of 59	



PH0	PH1	# of PH
0	1	2
1	1	3

	HFM_VID	HFM_Icc	LL	Icc_TDC	Icc_Dyn
Auburndale 45W	1.075	50	1.9m	37	35
Auburndale 35W	0.975	38	1.9m	29	27
Clarksfield SV	0.95	51	1.9m	38	39
Clarksfield XE	0.95	65	TBD	48	TBD

Version change list (P.I.R. List)

Page 1 of 3
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	For BOM unique.	For BOM unique.	0.1	46	Change PD8 from SC1SS355003(S DIO 1SS355) to SC100001K00(DIO 1SS355 SOD323 T/R-5K)	2009-1021	to DVT
2	For BOM unique.	For BOM unique.	0.1	54	Delete PQ86/PQ91 SB00000HL00(S TR TPCA8030-H 1N SOP). Add PQ87/PQ90 SB00000HL00(S TR TPCA8030-H 1N SOP).	2009-1021	to DVT
3	For UMA Arrandale CPU commond design.	For UMA Arrandale CPU, we just only pop 1 HS MOS and 1 LS MOS.	0.1	54	Delete PQ89/PQ93 SB00000GL00(S TR TPCA8028-H 1N SOP)	2009-1021	to DVT
4	For VTT Power rail commond design.	For VTT Power rail commond design, we pop 1 HS MOS and 1LS MOS.	0.1	52	Delete PQ95 SB00000GL00(S TR TPCA8028-H 1N SOP)	2009-1021	to DVT
5	CIS link error.	CIS link error.	0.1	54	Change PR500 from SD028100A00(S RES 1/16W 10 +-5% 0402) to SD028100A80(S RES 1/16W 10 +-5% 0402)	2009-1021	to DVT
6	BOM unique.	BOM unique.	0.1	47	Chnage PC265 from SE107475M80(S CER CAP 4.7U 6.3V M X5R 0603 to SE107475K80(S CER CAP 4.7U 6.3V K X5R 0603)	2009-1021	to DVT
7	BOM unique.	BOM unique.	0.1	49	Chnage PC284 from SE107475M80(S CER CAP 4.7U 6.3V M X5R 0603 to SE107475K80(S CER CAP 4.7U 6.3V K X5R 0603)	2009-1021	to DVT
8	BOM unique.	BOM unique.	0.1	54	Chnage PC350 from SE107475M80(S CER CAP 4.7U 6.3V M X5R 0603 to SE107475K80(S CER CAP 4.7U 6.3V K X5R 0603)	2009-1021	to DVT
9	BOM unique.(For Madison/Park SKU)	BOM unique.(For Madison/Park SKU)	0.1	52	Chnage PC367 from SE107475M80(S CER CAP 4.7U 6.3V M X5R 0603 to SE107475K80(S CER CAP 4.7U 6.3V K X5R 0603)	2009-1021	to DVT
10	BOM unique.	BOM unique.	0.1	46	Change PC225/PC227 from SE153106K80(S CER CAP 10U 25V K X6S 1206) to SE142106M80 (S CER CAP 10U 25V M X5R 1206)	2009-1021	to DVT
11	BOM unique.	BOM unique.	0.1	54	Change PC339/PC341 from SE153106K80(S CER CAP 10U 25V K X6S 1206) to SE142106M80 (S CER CAP 10U 25V M X5R 1206) Change PC354/PC355 from SE153106K80(S CER CAP 10U 25V K X6S 1206) to SE142106M80 (S CER CAP 10U 25V M X5R 1206)	2009-1021	to DVT
12	+1.05VS_VTTP Cost down 1 LS MOS. HW request.	+1.05VS_VTTP Cost down 1 LS MOS. Because +1.05VS_VTT has voltage drop issue, HW request, remote sense to close to PCH.	0.2	52	Delete PQ95 SB00000GL00(S TR TPCA8028-H 1N SOP) Delete PR471 SD028000080(S RES 0 0402 5%) Delete PR473 from SD034100A80(S RES 10 0402 5%) Add PR564 SD028000080(S RES 1/16W 0 0402 5%)	2009-1029	to DVT
14	Adjust +1.05VS_VTTP OCP.	Because we remove a LS MOS, so OCP must adjust.	0.2	52	Change PR467 from SD000004080(S RES 1/16W 2.2K +-1% 0402) to SD034499180(S RES 1/16W 4.99K 0402 1%)	2009-1029	to DVT
15	+1.8VSP2, Using MP2121 for 1.8V only.	No need to use LDO for +1.8V. Delete all PU19 circiut.	0.2	49	Delete PU19 SA00001NC00 (S IC APL5913-KAC-TRL SO 8P)	2009-1029	to DVT
16	+1.8VSP2, Using MP2121 for 1.8V only.	No need to use LDO for +1.8V. Delete all PU19 circiut.	0.2	49	Delete PR402 SD034150280, PR404 SD034120280. Delete PC273 SE075103K80 PC275 SE000000I10	2009-1029	to DVT
17	+1.8VSP2, Using MP2121 for 1.8V only.	No need to use LDO for +1.8V. Delete all PU19 circiut.	0.2	49	Delete PC272 SE107475K80, PC271 SE107105M80 Delete PR401 and PR403 SD028220280, PC274 SE026474K80	2009-1029	to DVT
18	+VGA_COREP, efficiency issue.	Increase Freq, decrease choke, to improve efficiency.	0.2	51	Change PR196 from SD034442280 to SD034365280. Change PL14 from SL200000V00 to SH000005680	2009-1029	to DVT
19	+VGA_COREP, OVP issue.	Becasue if PR199/PR202 pop 0ohm, it will cause OVP when VID change from 00 to 11)	0.2	51	Change PR199/PR202 from SD028000080 to SD028100280 (S RES 1/16W 10K 0402 5%)	2009-1029	to DVT
20	+VGA_COREP, cost issue.	Cost down.	0.2	51	Change PQ75/PQ78 from SB00000GL00(S TR TPCA8028-H 1N SOP) to SB000009F80(S TR AO4456 1N S08)	2009-1029	to DVT
21	+VGA_COREP, satndard design.	+VGA_COREP, satndard design, pop 1HS MOS and 2LS MOS, so remove one HS MOS PQ79.	0.2	51	Delete PQ79 SB000008L80 (S TR SI7686DP-T1-E3 1N POWERPAK S08)	2009-1029	to DVT
22	+GFX_COREP, spike issue.	Because +GFX_COREP has spike voltage issue, add schottky diode across GFXVR_EN and VS_ON to solve it.	0.2	51	Add PD17 SCS00000Z00 (S SCH DIO RB751V-40 SOD-323)	2009-1029	to DVT
23	+VGA_COREP, OCP caaculation erroe issue.	Because VGA_CORE has 2 LS MOS, APW7138 detect LS Rdson, so when caculate OCP, Rdson must reduce 1/2.	0.2	51	Change PR190 from SD034649180 to SD034511180 (S RES 1/16W 5.11K 0402 1%)	2009-1029	to DVT

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/08/01	Title	PIR (PWR)
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number NEW70 M/B LA-5891P Schematic
				Rev 1.0	
				Date:	Tuesday, December 29, 2009
				Sheet	55 of 59

Version change list (P.I.R. List)

Page 2 of 3 for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	CPU choke TOHO quality issue.	Because TOHO has quality issue before, change to Panasonic choke.	0.2	54	Change PL40/PL41 from SHSH00000F000 S COIL 0.36UH +-20% SF-I104-R36 23A to SH000005680 S COIL 0.36UH +-20% PCMC104T-R36MN1R17	2009-1029	to DVT
2	+VGA_COREP, voltage change.	ATI updated Park output voltage.	0.2	51	Change PR197 from SD034649280 to SD034432280.	2009-1029	to DVT
3	+VGA_COREP, voltage change.	ATI updated Park output voltage.	0.2	51	Chnage PR198 from SD034953180 to SD034887180.	2009-1029	to DVT
4	+VGA_COREP, voltage change.	ATI updated Park output voltage.	0.2	51	CHange PR201 from SD034316280 to SD034255280.	2009-1029	to DVT
5	+VGA_COREP, initial state unknow.	When VGA_CORE start up, but VBIOS doesn't ready, the VID is unknow, add pull down R.	0.2	51	Add PR557/PR560 SD028100280 (S RES 1/16W 10K 0402 5%)	2009-1029	to DVT
6	+1.0VSPDGPU,adjust power sequence.	Because HW request that adjust power sequence, we will follow the value which given by HW.	0.2	52	Change PC369 from SE076104K80 to SE000000K80 (S CER CAP 1U 0402 X7R)	2009-1029	to DVT
7	+1.0VSPDGPU,adjust power sequence.	Because HW request that adjust power sequence, we will follow the value which given by HW.	0.2	52	Change PR530 from SD028150380 to SD034270280 (S RES 1/16W 27K 0402 1%)	2009-1029	to DVT
8	+1.0VSPDGPU,adjust power sequence.	Because HW request that adjust power sequence, we will follow the value which given by HW.	0.2	52	Delete PR562 SD028220280 (S RES 1/16W 22K +-5% 0402)	2009-1029	to DVT
9	+0.75VSP,adjust power sequence.	Because HW request that adjust power sequence, we will follow the value which given by HW.	0.2	49	Change PR409 SD028000080 to SD034249280 (24.9K 0402 1%)	2009-1029	to DVT
10	=1.8VSP, voltage too small.	Because +1.8VSP drop in HW side, increase +1.8VSP.	0.2	49	Change PC287 from SE076104K80 to SE000000K80 Change PR405 from SD034316380 (S RES 1/16W 316K +-1% 0402) to SD034309380 (S RES 1/16W 309K 0402 1%)	2009-1029	to DVT
11	+GFX_COREP, spike voltage issue.	Because GFX_COREP has spike voltage issue, originally we add a schottcky diode to solve it, but Intel's command is that do not add it, because of overdriving, so delete it now.	0.3	53	Delete PD17 SCS00000Z00 (S SCH DIO RB751V-40 SOD-323)	2009-1104	to DVT
12	+GFX_COREP, EMI request.	EMI request to add snubber.	0.3	53	Add PR268 SD001470B80 (S RES 1/4W 4.7 +-5% 1206) Add PC199 SE025681K80 (S CER CAP 680P 50V K X7R 0603)	2009-1104	to DVT
13	+1.05VSV_VTTP, EMI request.	EMI request to add snubber.	0.3	52	Add PR465 SD001470B80 (S RES 1/4W 4.7 +-5% 1206) Add PC332 SE025681K80 (S CER CAP 680P 50V K X7R 0603)	2009-1104	to DVT
14	+VGA_COREP, EMI request.	EMI request to add snubber.	0.3	51	Add PR191 SD001470B80 (S RES 1/4W 4.7 +-5% 1206) Add PC171 SE025681K80 (S CER CAP 680P 50V K X7R 0603)	2009-1104	to DVT
15	+1.5VP, EMI request.	EMI request to add snubber.	0.3	50	Add PR415 SD001470B80 (S RES 1/4W 4.7 +-5% 1206) Add PC294 SE025681K80 (S CER CAP 680P 50V K X7R 0603)	2009-1104	to DVT
16	Charger, EMI request.	EMI request to add snubber.	0.3	47	Add PR370 SD001470B80 (S RES 1/4W 4.7 +-5% 1206) Add PC262 SE074681K80 (S CER CAP 680P 50V K X7R 0402)	2009-1104	to DVT
17	CPU_COREP, transient, load line modify.	CPU_COREP, transient, load line modify.	0.3	54	Change PR524/PR525 from SD014120380 to SD014130380. Change PR501 from SD034536180 to SD034549180 Change PC362 from SE074391K80 to SE074681K80	2009-1104	to DVT
18	+VSBP, EMI request.	EMI request to add cap to reduce EMI noise on B+	0.3	45	Change PL40/PL41 from SH000005680 to SH12036BM00. Add PC221 SE000005280 S CER CAP .22U 25V K X7R 0603. Add PC222 SE042104K80 S CER CAP .1U 25V K X7R 0603	2009-1104	to DVT
19	+1.8VSP BOM error.	Loss +1.8VSP enable circiut.	0.3	49	Add PR401 SD014220280 S RES 1/16W 22K 0402 5% Add PC274 SE026474K80 S CER CAP 0.47U 16V K X7R 0603	2009-1104	to DVT
20	+VGA_COREP, output voltage change.	Because ATI change Park output voltage, we saperate Park and Madison by PAK@ and MAD@. And Change Madison X63 BOM.	0.4	51	Change PR197 from SD034432280 to SD034681280. Chnage PR198 from SD034887180 to SD034953180.	2009-1113	to DVT
21	+CPU_COREP, power measure.	Because HW want to measure CPU_CORE IC power loss, Add 0805 R to saperate +5VS.	0.4	54	Change PR201 SD034255280 to SD034316280. Add PR565 SD002000080 S RES 1/8W 0 +-5% 0805	2009-1113	to DVT
22							

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/08/01	Title	
				PIR (PWR)	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Document Number	1.0
				NEW70 M/B LA-5891P Schematic	
				Date: Tuesday, December 29, 2009	Sheet 56 of 59

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	+CPU_COREP, IMON design change.	Intel release IMON RC time constant new request, change PC348 to 0.068u to meet spec.	0.4	54	Change PC348 from SE076103K80 S CER CAP .01U 16V K X7R 0402 to SE0000003J80 S CER CAP 0.068U 16V K X7R 0402	2009-1113	to DVT
2	+CPU_COREP, cost issue.	SF000000G80 will cost up, change to SF22004M210.	0.4	54	Change PC343 from SF000000G80 to SF22004M210.	2009-1113	to DVT
3	+3V/+5V cost issue.	Because Nippon cost up thier OS-CON cap, so we change Nippon cap to Sanyo cap by sourcer request.	0.5	46	Change PC233/PC237 from SF22001M300 S ELE CAP 220U 6.3V M F60(6.3X5.7) PXC to SF22001M200 S ELE CAP 220U 6.3V M B C6 SVPC ESR15	2009-1118	to DVT
4	+1.05VS_VTTP issue.	+1.05VS_VTTP choke unique to +1.5VP.	0.5	52	Change PL38 from SH000008V80 S COIL 1UH +-20% PCMB103E-1R0M20A to SH000009U00 S COIL 1UH +-20% FDUE1040D-1R0M=P3 21.3A	2009-1118	to DVT
5	+VGA_COREP 2nd source issue.	In order to phase in 2nd source of APW7138, must add Pin6 components to meet ISL6268 requirement.	0.6	51	Add PC172 SE071220J80 S CER CAP 22P 50V J NPO 0402 Add PC174 SE075682K80 S CER CAP 6800P 25V K X7R 0402 Add PR195 SD034909280 S RES 1/16W 90.9K 0402 1%	2009-1208	to PVT
6	+VGA_COREP 2nd source issue.	In order to phase in 2nd source of APW7138, must add Pin6 components to meet ISL6268 requirement.	0.6	51	Change location PU23 to PU998.	2009-1208	to PVT
7	+1.05VS_VTTP 2nd source issue.	In order to phase in 2nd source, change ISL6268 to APW7138.	0.6	52	Change PU26 from SA00001HT80 S IC ISL6268CAZ-T SSOP 16P to PU999 SA000020600 S IC APW7138NITRL SSOP 16P	2009-1208	to PVT
8	+1.05VS_VTTP 2nd source issue.	APW7138 needn't pop PC335.	0.6	52	Delete PC335 SE075103K80 S CER CAP .01U 25V K X7R 0402 and change location to PC999.	2009-1208	to PVT
9	HDD LED flash issue.	HDD LED will flash when plug in adapter, because +3VS rise a little. HW request add PC224 to solve it.	0.6	45	Add PC224 SE000000K80 S CER CAP 1U 6.3V K X5R 0402	2009-1208	to PVT
10	HDD LED flash issue.	If add PC224, must change PR330 from 0 to 1K to avoid SPOK pin fail. that is add a current limit R on SPOK pin.	0.6	45	Chnage PR330 from SD028000080 to SD028100180.	2009-1208	to PVT
11	BOM error.	+1.8VSP choke use wrong material.	0.6	49	Change PL30 from SH000006I80 S COIL 2.2UH +-20% PCMC063T-2R2MN 8A to SH000009Q00 S COIL 2.2UH 20% MSCDRI-74A-2R2M-E 6.5A	2009-1208	to PVT
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/08/01	Title	
				PIR (PWR)	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number NEW70 M/B LA-5891P Schematic
				Date:	Tuesday, December 29, 2009
				Sheet	57 of 59
				Rev	1.0

B --> B Change List

1012:-----
Page 29,30 Update F1,F2 symbol to SP04301P120(F_SMD1812P110TF)
Page 36,38 C789,C788,C684 symbol update (have pin define)
Page 31, U3 P/N change from SA00001RM00 to SA00003O900
1102:-----
Page 7,8 C97,C675,C134,C136,C251,C268,C541,C667 symbol update from SGA00002380 to SGA00002U00
Page 23. Add C609 0.1u_0402(SE076104K80) R739 24K_0402(SD034240280) fix +3VSDGPU Ramp up issue
Page 17,35 Add 1 more USB trace to 3G/B connector from PCH USB20_P10 & USB20_N10
1103:-----
Page 43 R200 change symbol from 22_0402_5% to 22_0603_5%
Page 39 SW1,SW4 BOM structure change to @
Page 36 C789.2 power source +3VS change to +3VALW
1104:-----
Page 8, Add C797,C798,C799,C800 0.1u_0402 at between +1.5V&+1.5V_1(Intel suggest)
Page 15,37 U41.F3 modify net from GPIO62 to susclk
Page 37 Add R740(@) close U32.123
1105:-----
Page 8 R98 change from 4.7K_0402_5% to 330ohm_0402_5% (Intel feekback VGFX_CORE issue solution)
1109:-----
Page 23 Change R717,R718,R720,R509 BOM structure from VGA@ to @ (Madison&Park prodution remove JTAG option2)
Page 24 Change R64 BOM structure from @ to VGA@ (Madison&Park prodution remove JTAG option2)
Page 23 Remove and short R729 (A2VDD)
Page 23 Change C600,C172,C599 BOM structure from VGA@ to @ (+A2VDD)
Page 23 Remove and short L6 (+A2VDDQ)
Page 26 Remove and short R730,R731,R732,R733,R734,R735,R736,R737,R738, (DPB,DPC,DPD power source)
Page 37 Add R508 100K_0402 Pull down to GND(EC E51TXD_P80DATA)(fix Intel WLAN Card reset issue)
RF request:-----
Page 35 Add C801 (SE071470J80 47P_0402) and C173(SE000005T80 10U_0603)(+3VS_WWAN)
Page 23 Remove R508 (100_0402) change to C802(@) (12P_0402_50V8J)(SE071120J80) (VGA_CLK_27M)
Page 29 Add two shunt C804,C803 12P_0402_50V8J(SE071120J80)(P31.DDC to HDMI conn)
Page 29 Add two shunt C805,C806 22P_0402_50V8J(SE071220J80)(P29.LCD Conn)
pop R403(47_0402) and C516 (22P_0402)(CLK_PCI_LPC)
pop R163 (10_0402)and C319 (10P_0402) (CLK_BUF_ICH_14M)
EMI request:-----
Page 36 POP D26, CM1293-04SO(SC300000O00)
Page 38,40,41 POP D18,D19,D10,D9,D11,D28,D30 PJDLC05C(SCA00001100)
1110:-----
Page 38 Add Q53(ACIN_LED#)
1111:-----
Page 40 C775,C776,C777,C778 change Symbol from SE093475K80(4.7U_0805) to SE107475M80(4.7U_0603)
Page 38 R341,R343 100_0402_5% change to 680_0402_5%(BLUE LED Bright)
Page 38 R342,R344 300_0402_5% change to 3.9K_0402_5%(Orange LED Bright)
1113:-----
Page 8 R98 change from 330_0402_5% to 470_0402_5%(SD028470080)
Page 23 Change back R717,R718,R720,R509 BOM structure from @ to VGA@ (Madison&Park prodution remove JTAG option2)
Page 24 Change back R64 BOM structure from VGA@ to @ (Madison&Park prodution remove JTAG option2)
1116:-----
Page 13 U41 change P/N from SA00003N700 to SA00003N7B0
Page 34 T16 change P/N from SP050006C00 to SP050006B00
1117:-----
Page 58 Add HW PIR

B --> C Change List

1209:-----
R679 change BOM structure to @
D13,D15 change BOM structure to @
Change R717,R718,R720,R509 BOM structure from VGA@ to @ (Madison&Park prodution remove JTAG option2)
Change R64 BOM structure from @ to VGA@ (Madison&Park prodution remove JTAG option2)
Add R729 0_0402(SD028000080,@)
Add R730 0_0402(SD028000080,@) LOCAL_DIM for Panel new feature
Add R731 0_0402(SD028000080,@) COLOR_ENG_EN for Panel new feature
Add R732 100K_0402(SD028100380)LOCAL_DIM PD to GND
Add R733 100K_0402(SD028100380)COLOR_ENG_EN PD to GND
Q53 change BOM structure to @
ADD Q54 2N7002DWH_SOT363-6(SB00000AR10) for AC PLUG HDD LED flash issue
DEL U16 for AC PLUG HDD LED flash issue
C97,C134,C136,C251,C541,C268,C675,C667 symbol update from SGA00002U00 to SGA00001Q80
C775,C776,C777,C778 change P/N SE107475M80 to SE107475K80(4.7U_0603_6.3V6K)
R272(100K PU +3VS) change BOM structure to @
Add U32.85 WWAN_LED# (input)
Add U32.17 MINI1_LED# (input)
ADD R734 PD to GND (fix CPT Panel Flash issue)

1211:-----
ADD C807,C808 1000P_0402(SE074102K80) LAN EMI
ADD C610 0.1U_0402 Y5V(SE070104Z80) VGFX_CORE EMI
ADD C809 C810 0.1U_0402 Y5V(SE070104Z80) +1.5V EMI
1211B:-----
Add U32.36 WLAN_LED# (output)
Add U32.91 3G_LED# (output)
Add U32.85 WWAN_LED# (input)
1214:-----
ADD R735 For U24 power source +3VS (POP)
ADD R736 For U24 power source +5VS (@)
1215:-----
ADD R737 asmedia CLK-
ADD R738 asmedia CLK+
U24 PN change to SA00000U500 (74AHC1G125GW_SOT353-5)
1216:-----
C465 change BOM structure to @(3G 150U)
R41 change BOM structure to @(CRT DET)
Q20 change BOM structure to @(CRT DET)
R343,R341 change to 2.2K_0402_5%(SD028220180) (LED)
R334 change to 249K_0402_1%(SD034249380)
1217:-----
R253 2.2K_0402_5% change to @
R252 2.2K_0402_5% change to UMAHD@
R343 change to 2.2K_0402_5%(7080@) 680_0402_5%(90@)
R344 change to 3.9K_0402_5%(7080@) 680_0402_5%(90@)
R341 change to 2.2K_0402_5%(7080@) 680_0402_5%(90@)
R342 change to 3.9K_0402_5%(7080@) 680_0402_5%(90@)
1219:
R382 change to 18K_0402(SD028180280)(Board ID)
R389 ADD 100K_0402_5%(SD028100380) PH +3VALW(Board ID)
1223:
R157 change to R167 10K_0402_5% (GPIO66: L:6L H:8L)
GPIO21 define to Project ID (L:NEW50/70/80/90 H:NEW71/91)

C --> MP Change List

1228:
MB PCB P/N (DA80000H700)change to (DAZ0C900100)
Q5,Q9,Q16,Q19,Q21,Q22,Q26,Q27,Q35,Q40,Q47,Q54 change SB00000AR10 to SB00000D900
DEL D10 (Int. MIC ESD Diode PASS Can remove)
R382 change to 18K_0402_5%(SD028180280 Board ID rev0.3)
DEL R667,R668(SD028000080) USb common mode choke
DEL R167,(SD028100280)(GPIO66 PH 8L,PD 6L) 10K_0402_5%
ADD R157 (SD028100280)(GPIO66 PH 8L,PD 6L) 10K_0402_5%
ADD R389 (SD028100380)(Board ID)100K_0402_5%
ADD L68(SM070001600 12ohm bead) USB common mode choke
Modify U24 Symbol

0104:
ADD R350 100K_0402_5%(SD028100380)(3G PH +3VS_WWAN)
0107:
Q5,Q9,Q16,Q19,Q21,Q22,Q26,Q27,Q35,Q40,Q47,Q54 change SB00000D900 to SB00000DH00

Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2007/09/20		Deciphered Date		2010/08/01		Title				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								PIR (HW)				
								Size	Document Number			Rev
								Custom	NEW70 M/B LA-5891P Schematic			1.0
								Date:		Friday, January 08, 2010		Sheet 58 of 59

VGA

U34
PARK@
216-0774007 A11 PARK XT M2
PARK XT M2 A11: SA00003MC10

PCB

ZZZ
LA-5891P MB Rev0: DA80000H700
LA-5891P MB Rev1: DA80000H710
LA-5891P MB with Small Board Rev1: DAZ0C900100
LA-5891P REV1 M/B

X76

ZZZ
X761@
X76198BOL01
X76198BOL01 VRAM 512M SAM NEW70
Samsung : SA000035700 (S IC D3 64MX16 K4W1G1646E-HC12 FBGA 96P)

ZZZ
X762@
X76198BOL02
X76198BOL02 VRAM 512M HYN NEW70
Hynix : SA000032400 (S IC D3 64MX16 H5TQ1G63BFR-12C FBGA 1.5V)

ZZZ
X763@
X76198BOL03
X76198BOL03 VRAM 1G SAM NEW70
Samsung : SA000035700 (S IC D3 64MX16 K4W1G1646E-HC12 FBGA 96P)

ZZZ
X764@
X76198BOL04
X76198BOL04 VRAM 1G HYN NEW70
Hynix : SA000032400 (S IC D3 64MX16 H5TQ1G63BFR-12C FBGA 1.5V)

ZZZ
X765@
X76198BOL05
X76198BOL05 VRAM 512M AMD NEW70
AMD :SA00003PF10
(S IC D3 64M16/800 23EY2387MB-12 PG-TFBGA 96P 1.5V)

ZZZ
X766@
X76198BOL06
X76198BOL06 VRAM 1G AMD NEW70
AMD :SA00003PF10
(S IC D3 64M16/800 23EY2387MB-12 PG-TFBGA 96P 1.5V)

CRT Option Components

C607 C592 C567
DIS@2 DIS@2 DIS@2
15P_0402_50V8J 15P_0402_50V8J 15P_0402_50V8J

C603 C593 C569
DIS@2 DIS@2 DIS@2
12P_0402_50V8J 12P_0402_50V8J 12P_0402_50V8J

15P_0402_50V8J: SE071150J80
12P_0402_50V8J: SE071120J80

L47 DIS@ 0_0805_5%
L40 DIS@ 0_0805_5%
L38 DIS@ 0_0805_5%

0_0805_5%: SD002000080

NEW90 LED Option

2 5090@1
R343 680_0402_5%
2 5090@1
R344 680_0402_5%
2 5090@1
R341 680_0402_5%
2 5090@1
R342 680_0402_5%

PCH SKU Option

2 10K_0402_5%
R259 UMAO@

GPIO19

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2010/08/01	Title	Option Component
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Customer Date: Tuesday, December 29, 2009	Document Number NEW70 M/B LA-5891P Schematic Sheet 59 of 59
				Rev 1.0	