

KSKAA


Bradford 10M/10MG

LA-4993P REV 1.0 Schematic

Intel Penryn/ Cantiga/ ICH9M
2009-07-23 Rev. 1.0

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Date	Tuesday, August 18, 2009

Model Name : KSKAA
File Name : LA-4993P



Voltage Rails

Power Plane	Description	S1	S3	S5	G3
VIN	Adapter power supply (19V)	ON	ON	ON	OFF
B+	AC or battery power rail for power circuit.	ON	ON	ON	ON
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF	OFF
+0.9VS	0.9V switched power rail for DDR terminator	ON	OFF	OFF	OFF
+1.05VS	1.05V switched power rail	ON	OFF	OFF	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF	OFF
+1.8V	1.8V power rail for DDR	ON	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON	OFF
+3VL	3.3V always on power rail	ON	ON	ON	ON
+3V_SB	3.3V power rail for LAN	ON	ON	OFF	OFF
+3V_LAN	3.3V power rail for LAN	ON	ON	OFF	OFF
+3V_WLAN	3.3V power rail for LAN	ON	ON	OFF	OFF
+3VS	3.3V switched power rail	ON	OFF	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON	OFF
+5VL	5V always on power rail	ON	ON	ON	ON
+5V_SB	5V power rail for SB	ON	ON	OFF	OFF
+5VS	5V switched power rail	ON	OFF	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON	OFF
+RTCVCC	RTC power	ON	ON	ON	ON
+CPU_CORE	Core voltage for VGA chip	ON	ON	OFF	OFF
+VGA_PCIE_1.1VS	1.1V switched power rail for VGA PCIE	ON	ON	OFF	OFF
+1.8VS	1.8V power rail for VRAM	ON	ON	OFF	OFF

External PCI Devices

EC SM Bus1 address

Power	Device	Address	Power	Device	Address
+3VL	EC KB926 D3		+3VS	EC KB926 D3	
+5VL	Smart Battery	0001 011X b			
+5VL	HDMI-CEC	0011 010x b	+3VS	CPU THM Sen	
				SMSC SMC1402	0100 110x b
+3VL	FUN/B (CAP Sensor)				

EC SM Bus2 address

ICH9M SM Bus address

Power	Device	Address
+3V_SB	ICH9M	
	Clock Generator (SLG8SP556V)	1101 001Xb
+3VS	DDR DIMM0	1001 000Xb
+3VS	DDR DIMM1	1001 010Xb
+3VS	Express	
+3VS	FM Module	


STATE \ SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#		
Full ON	HIGH	HIGH	HIGH	HIGH		
S1(Power On Suspend)	LOW	HIGH	HIGH	HIGH		
S3 (Suspend to RAM)	LOW	LOW	HIGH	HIGH		
S4 (Suspend to Disk)	LOW	LOW	LOW	HIGH		
S5 (Soft OFF)	LOW	LOW	LOW	LOW		
G3	LOW	LOW	LOW	LOW		

BTO Option Table


Function	HDMI			CRT	Display	LAN		
description	(Y)			(Q)	(Z)	(E)	(C)	
explain	Intel(UMA)	ATI MXM/B	COMMON			10/100M	Giga	
BTO	IHDMI@	NIHDMI@	HDMI@	H@	CRT@	DP@	8103EL@	8111DL@

Function	3G SIM slot	Mini card	Felica	Finger printer	CIR	CAMERA & MIC		BLUE T00TH
description	(3)	(D2)	(J)	(F)	(I)	(X)		(B)
explain		Two Cards				CAMERA	MIC	
BTO	3G@	3G@	FLICA@	FP@	CIR@	CAM@	MIC@	BT@


Security Classification		Compal Secret Data				Compal Electronics, Inc.							
Issued Date		2008/10/06		Deciphered Date		2009/10/06		Title					
								SCHEMATIC,MB A4993					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Size	Document Number	Rev A					
							401781						
						Date:		Tuesday, August 18, 2009		Sheet	4	of	46



CPU_BSEL	CPU_BSEL2	CPU_BSEL1	CPU_BSEL0
166	0	1	1
200	0	1	0
266	0	0	0





Reserve for debug close to CPU




Near CPU CORE regulator

ESR <= 1.5m ohm
Capacitor > 1980uF




reserve for test
please co-layout with C7-C10


Near pin B26





Length match within 25 mils.
The trace width/space/other is 14/7/25.



Mid Frequency Decoupling









Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401781
				Date	Tuesday, August 18, 2009
				Sheet	7 of 46



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				401781	Rev A
				Date:	Tuesday, August 18, 2009
				Sheet	8 of 46


Strap Pin Table


CFG[2:0]	011 = FSB667 010 = FSB800 000 = FSB1067
CFG5 Internal pull-up	0 = DMI x 2 1 = DMI x 4 *(Default)
CFG6 Internal pull-up	0 = iTPM Host Interface is enabled can support disble by SW. 1 = iTPM Host Interface is Disabled *(Default)
CFG7 Internal pull-up	0 = Intel Management Engine Crypto Transport Layer Security (TLS) cipher suite with no confidentiality 1 = Intel Management Engine Crypto TLS cipher suite with confidentiality *(Default)
CFG9 Internal pull-up	0 = Lane Reversal Enable 1 = Normal Operation *(Default)
CFG10 Internal pull-up	0 = PCIe Loopback Enable 1 = Disable*(Default)
CFG[13:12] Internal pull-up	01 = All Z Mode Enabled 00 = Reserved 10 = XOR Mode Enabled 11 = Normal Operation*(Default)
CFG16 Internal pull-up	0 = Dynamic ODT Disabled 1 = Dynamic ODT Enabled *(Default)
CFG19 Internal pull-down	0 = Normal Operation 1 = DMI Lane Reversal Enable *(Default)
CFG20 Internal pull-down (PCIe/SDVO select)	0 = Only PCIe or [SDVO/DP/HDMI] is operational. *(Default) 1 = PCIe/[SDVO/DP/HDMI] are operating simu.





SDVO_CTRLDATA (Internal pull-down)	0 = SDVO interface disabled *(Default) 1 = SDVO interface enabled
DDPC_CTRLDATA (Internal pull-down)	0 = Digital display (iHDMI/DP) interface disabled 1 = Digital display (iHDMI/DP) interface enabled *(Default)

Security Classification	Compal Secret Data	Title	Compal Electronics, Inc.
Issued Date	2008/10/06	Deciphered Date	2009/10/06
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			
Document Number		401781	
Date		Tuesday, August 18, 2009	
Sheet		9 of 46	














Security Classification		Compal Secret Data		Compal Electronics, Inc. Title SCHEMATIC, MB A4993	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Doc No	Document Number 401781
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Date	Tuesday, August 18, 2009
				Sheet	14 of 46







Security Classification		Compal Secret Data		Compal Electronics, Inc. SCHEMATIC,MB A4993		
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
					401781	A
				Date:	Tuesday, August 18, 2009	Sheet 19 of 46


Display Port



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401781
				Date	Tuesday, August 18, 2009
				Sheet	20 of 46








iTPM Physical Presence	
CLGPIO5	Assert = iTPM Physical Presence Enable
Mobil Platform	De-assert = iTPM disable
	**Only used in iAMT w/ME Firmware
GPIO57	Desktop Platform used only

ICH9M Strap Pin





Internal TPM Strap(Internal pull-down)	
SPI_MOSI	Low= Disable High= iTPM enable by MCH strap*

No Reboot Strap (Internal pull-up)	
SB_SPKR	Low= *Default High= "No Reboot"

Boot BIOS Strap (Internal pull-up)		
PCI_GNT#0	SPI_CS#1	Boot BIOS Location
0	0	RESERVED
0	1	SPI
1	0	PCI
1	1	LPC* (Default)

A16 Swap Override Strap	
PCI_GNT#3	Low= A16 swap override Enable High= Default* (Internal pull-up)





Internal VR Enable Strap (Internal VR for VccSus1.05, VccSus1.5, VccCL1.5)	
ICH_INTVRMEN	Low = Internal VR Disabled High = Internal VR Enabled(Default)

ICH8M LAN100 SLP Strap (Internal VR for VccLAN1.05 and VccCL1.05)	
ICH_LAN100_SLP	Low = Internal VR Disabled High = Internal VR Enabled(Default)


XOR Chain Entrance Strap		
ICH_TP3 (Internal pull-up)	HDA_SDOUT (Internal pull-down)	Description
0	0	RSVD
0	1	Enter XOR Chain
1	0	Normal Operation (Default)
1	1	Set PCIE port config bit 1

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				401781	Rev A
				Date	Tuesday, August 18, 2009
				Sheet	24 of 46





SATA HDD Conn.




SSD Conn.




SATA ODD Conn



USB Conn.



eSATA/USB






	SLP_CHG_M3	SLP_CHG_M4
Mode 3	HIGH	LOW
Mode 4	LOW	HIGH

SLP_CHG	FUNCTION
LOW	D=1D
HIGH	D=2D


Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2008/10/06		Deciphered Date		2009/10/06		Title			
								SCHEMATIC,MB A4993			
								401781			
								Date: Tuesday, August 18, 2009			
								Sheet 26 of 46			

B-CAS Circuit




Security Classification		Compal Secret Data		Compal Electronics, Inc.				
Issued Date	2008/10/06		Deciphered Date	2009/10/06		Title	SCHEMATIC,MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT. NO FACTORY IS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev	A	
					401781			
				Date:	Tuesday, August 18, 2009	Sheet	27 of 46	


BlueTooth Interface




Right USB Board




Finger printer




FM tuner




MDC 1.5 Conn.



Felica




Int. Camera




Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2008/10/06				Deciphered Date			
2009/10/06				2009/10/06				Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC,MB A4993				Document Number			
401781				401781				Rev A			
Date: Tuesday, August 18, 2009				Sheet 28 of 46							

UWB/JET (Slot3)




Kill SWITCH




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC, MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev A
					401781	
				Date:	Tuesday, August 18, 2009	Sheet 29 of 46


Codec




Audio regulator



Beep sound




Sense Pin	Impedance	Codec Signals	Function
SENSE A	39.2K	PORT-A (PIN 39, 41)	
	20K	PORT-B (PIN 21, 22)	Ext. MIC
	10K	PORT-C (PIN 23, 24)	FM tuner
	5.1K	PORT-D (PIN 35, 36)	SPK out
SENSE B	39.2K	PORT-E (PIN 14, 15)	
	20K	PORT-F (PIN 16, 17)	Int. MIC
	10K	PORT-H (PIN 37)	
	5.1K	PORT-I (PIN 32, 33)	Headphone out




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
					401781	A
				Date:	Tuesday, August 18, 2009	Sheet 31 of 46


TPA6017 Medium Range Amplifier





GAIN0	GAIN1	Av (db)	Rin (ohm)
0	0	6	90K
0	1	10	70K
1	0	15.6	45K
1	1	21.6	25K





Left Connector




Right Connector



KEYBOARD CONN.



Keyboard LED





HeadPhone/LINE Out JACK

Ext.MIC/LINE IN JACK

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC, MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev A
					401781	
Date:		Tuesday, August 18, 2009		Sheet		32 of 46

Power Circuit




Strapping setting


Pin name	Description	
	High	low
MDIO7	on-board★	add-in card
MDIO12	+VCC_OUT high active	+VCC_OUT low active★
MDIO14	CR_LED high active★	CR_LED low active

P.S CR1_PCTLN aslo can out 3V with 250mA for 5IN1 using.(MDIO12 can't be seted after MP IC)




Card Reader Connector




Security Classification		Compal Secret Data		Title	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	SCHEMATIC,MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev A
				401781	
Date: Tuesday, August 18, 2009				Sheet	33 of 46


































to avoid EC entry ENE test mode



reserve for ENE_CS board




The circuit is reserve for new design for pre-MP




Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev A
					401781	
				Date:	Tuesday, August 18, 2009	Sheet 34 of 46

SPI Flash (16Mb*1)




Lid SW







4.75V

LPC Debug Port

Please place the PAD under DDR DIMM.




G-Sensor




Security Classification			Compal Secret Data		Compal Electronics, Inc.	
Issued Date			2008/10/06	Deciphered Date	2009/10/06	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			401781		SCHEMATIC,MB A4993	
Date:			Tuesday, August 18, 2009	Sheet	35 of 46	Rev A


Power Button/ PWR/B




Touch/B Connector




Caps Sensor Connector




Light Pipe Connector




LED/B Connector




DC-IN LED




WL&BT LED




WiMAX LED




HDD LED




SUSPEND LED




Satellite LED




POWER LED




Screw Hole




JNAND




JWLAN




SSD




JGPS



VGA



MDC





PCB Federal Mark PAD



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
					401781
				Date	Tuesday, August 18, 2009
				Sheet	36 of 46

Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC,MB A4993			
				Size	Document Number	Rev	
					401781	A	
				Date:	Tuesday, August 18, 2009	Sheet	37 of 46



DC301001M80




Vin Detector

High 18.384 17.901 17.430
Low 17.728 17.257 16.976

RTC Battery




Precharge detector
15.97V/14.84V FOR
ADAPTOR







Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2009/06/03	Deciphered Date	2010/06/03	Title	SCHEMATIC,MB A4993
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Document Number
					401781
					Rev A
					Date: Tuesday, August 18, 2009
					Sheet 38 of 46


PH1 under CPU bottom side :
CPU thermal protection at 92 degree C
Recovery at 56 degree C




PH2 near main Battery CONN :
BAT. thermal protection at 90 degree C
Recovery at 53 degree C







Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/06/03	Deciphered Date	2010/06/03	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev
				401781	A
Date: Tuesday, August 18, 2009		Sheet 42 of 46		SCHEMATIC, MB A4993	



Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/06/03	Deciphered Date	2010/06/03	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			Document Number	Rev
			401781	A
Date: Tuesday, August 18, 2009			Sheet	43 of 46

Version Change List (P. I. R. List) for Power Circuit

Page#	Title	Date	Request Owner	Issue Description	Solution Description
38-44	DVT Release	2009/06/03			
42	Change PQ31,PQ32,PC72,PL7	2009/06/10	POWER		Change to small size
43	Change PC81	2009/06/10	POWER		Change to POSCAP

ISPD

Revision Change: LA-4991 1.0 to LA-4993 0.1

NB_PM_R3	 U3 CANTIGA PM FMR3@	PCB	 77Z PCB ZKU LA-4993P REV0
NB_PM_R1	 U3 CANTIGA PM FMR1@	DC-IN	 PJP1 PJP1 45@
NB_G5_R3	 U3 CANTIGA GM45 G5R3@	Trans former	 UL3 10/100M transformer 8103EL@
NB_GL_R1	 U3 CANTIGA GL40 GMLR1@	LAN	 UL1 8103EL 8103EL@
NB_GL_R3	 U3 CANTIGA GL40 GMLR3@	SB_GL_R1	 U9 ICH9-M ES ICH9R1@
NB_GM7_R1	 U5 CANTIGA GM47 GMLR1@		
NB_GM_R3	 U6 CANTIGA GM47 @		
NB_GM9_R1	 U10 CANTIGA GM49 GMLR1@		
NB_GM9_R3	 U11 CANTIGA GM49 @		

Revision Change: LA-4993 0.1 to LA-4993 1.0

U6
NB_GM_R3
CANTIGA GM47
@
U10
NB_GM9_R1
CANTIGA GM49
GMLR1@
U11
NB_GM9_R3
CANTIGA GM49
@

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2008/10/06	Deciphered Date	2009/10/06	Title	SCHEMATIC,MB A4993	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc Number	401781	Rev A
				Date:	Tuesday, August 18, 2009	Sheet 46 of 46