Model Name : VITU5
File Name : LA-8971P

Compal Confidential

VITU5 M/B Schematics Document

Intel Ivy Bridge ULV Processor + Panther Point PCH(HM77)

Nvidia chip:N13M-GS(23x23)

2012-02-16

REV:0.1

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.		
Title: Cover Page		
Size: Custom	Document Number: LA-8971P	Rev: 0.1
Date: Thursday, February 16, 2012	Sheet 1 of 58	

Chief River

NV N13M-GS
23mm *23mm
VRAM 128*16 DDR3*4

PCI-E X16 Gen 2

Intel IVY Bridge ULV (Sandy Bridge) Processor
BGA1023

DDR3-1333/1600
Dual Channel

DDR3-SO-DIMM X2

SATA3.0 HDD CONN

PCI Express (Full) Mini card Slot 2
SSD(SATA3.0)

ODD (SATA2.0)

6*SATA
(port0,1 Support SATA3)

FDI *8
100MHz
2.7GT/s

DMI2 *4
100MHz
5GT/s

Std HDMI Connector

LVDS Connector

Mini VGA Connector

Intel Panther Point
HM77
FCBGA 989 Balls
25mm*25mm

4*USB3.0

14*USB2.0

USB PORT 3.0 x1 (Left)

USB PORT 2.0 x2 (Right)
IO Board

Card Reader RTS 5178 (2in1)
IO Board

CMOS Camera

BlueTooth CONN

6*PCI-E x1

PCI Express (Half) Mini card Slot 1
WLAN/WiMAX

PCI-E (WLAN)

SPI ROM BIOS
4MB*1
2MB*1

LPC BUS

EC
ENE KB9012

HD Audio

LAN(10/100/Giga)
Realtek
8105E-VD (10/100)
8111F-CGT (Giga)

RJ45 CONN

Int.KBD

Touch Pad

Thermal Sensor

Audio Codec
RealTek
ALC259-VC2-CG

2Channel Speaker

Single Digital MIC

Audio Combo Jack (APPLE type)
HeadPhone Output
Microphone Input

Sub-borad

- ODD Board
- POWER BOARD
- LED BOARD
- IO Board
  USB2.0*2,card reader

Security Classification	Compal Secret Data		
Issued Date	2011/07/21	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.
Title: MB Block Diagram
Size: Custom | Document Number: LA-8971P | Rev: 0.2
Date: Wednesday, February 15, 2012 | Sheet 2 of 58

Voltage Rails

power plane / State	+B	+5VALW +3VALW	+1.5V	+5VS +3VS +1.5VS +V1.05S_VCCP +VCC_CORE +VGA_CORE +VCC_GFXCORE_AXG +1.8VS +0.75VS +1.05VS
S0	O	O	O	O
S3	O	O	O	X
S5 S4/AC	O	O	X	X
S5 S4/ Battery only	O	X	X	X
S5 S4/AC & Battery don't exist	X	X	X	X

STATE \ SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)	LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

BOARD ID Table

Board ID	PCB Revision
0	0.1
1	
2	
3	
4	
5	
6	
7	

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%
Ra/Rc/Re	100K +/- 5%

Board ID	Rb / Rd / Rf	V_{AD_BID} min	V_{AD_BID} typ	V_{AD_BID} max	Porject	Phase
0	0	0 V	0 V	0 V	G-series	MP
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V	G-series	PVT
2	18K +/- 5%	0.436 V	0.503 V	0.538 V	G-series	DVT
3	33K +/- 5%	0.712 V	0.819 V	0.875 V	G-series	EVT
4	56K +/- 5%	1.036 V	1.185 V	1.264 V	Y-series	EVT
5	100K +/- 5%	1.453 V	1.650 V	1.759 V	Y-series	DVT
6	200K +/- 5%	1.935 V	2.200 V	2.341 V	Y-series	PVT
7	NC	2.500 V	3.300 V	3.300 V	Y-series	MP

EC SM Bus1 address

Device	Address
Smart Battery	0001 011X b

EC SM Bus2 address

Device	Address
Thermal Sensor F75303M	1001_101xb

PCH SM Bus address

Device	Address
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb

AMD-GPU SM Bus address

Device	Address
Internal thermal sensor	1001 111Xb (0x9E)

SMBUS Control Table

	SOURCE	VGA	BATT	KB9012	SODIMM	WLAN WWAN	Thermal Sensor	PCH
SMB_EC_CK1 SMB_EC_DA1	KB9012 +3VALW	X	V +3VALW	X	X	X	X	X
SMB_EC_CK2 SMB_EC_DA2	KB9012 +3VALW	X	X	X	X	X	X	V +3VS
SMBCLK SMBDATA	PCH +3VALW	X	X	X	V +3VS	V +3VS	X	X
SML0CLK SML0DATA	PCH +3VALW	X	X	X	X	X	X	X
SML1CLK SML1DATA	PCH +3VALW	V +3VS	X	V +3VS	X	X	V +3VS	X

USB Port Table

USB 3.0	USB 2.0		Port	3 External USB Port
xHCI1	EHCI1	UHCI0	0	USB 3.0 Port (Left Side)
xHCI2			1	
xHCI3		UHCI1	2	USB/B (Right Side USB-BD)
xHCI4			3	USB/B (Right Side USB-BD)
		UHCI2	4	X (USB PORT disabled on HM70)
			5	X (USB PORT disabled on HM70)
		UHCI3	6	X (USB PORT disabled on HM70)
			7	X (USB PORT disabled on HM70)
	EHCI2	UHCI4	8	Camera
			9	Blue Tooth
		UHCI5	10	Mini Card(WLAN)
			11	USB Port (Right Side CR-BD)
		UHCI6	12	X (USB PORT disabled on HM70)
			13	X (USB PORT disabled on HM70)

HM70 Disable xHCI3,xHCI4

BOM Structure Table

BTO Item	BOM Structure
INTEL UMA only	UMA@
GPU:Seymour XTX	XTX@
HDMI	HDMI@
HDD1 (HM77 SATA 3.0)	HDD1@
HDD2 (HM70 SATA 2.0)	HDD2@
Interna-Intel-USB3.0	IU3@
Interna-Intel-USB2.0	IU2@
Blue Tooth	BT@
10/100 LAN	8105E@
GIGA LAN	8111F@
Connector	ME@
45 LEVEL	45@
Unpop	@

SATA Port Table

	HM77	HM70	
SATA P0	GEN3/2/1	GEN3/2/1	SSD
SATA P1	GEN3/2/1	Disable	HDD (HM77)
SATA P2	GEN2/1	GEN2/1	HDD (HM70)
SATA P3	GEN2/1	Disable	
SATA P4	GEN2/1	GEN2/1	
SATA P5	GEN2/1	GEN2/1	

HM70 Disable P1,P3

PCIe Port Table

	HM77	HM70	
PCIe P1	Enable	Enable	LAN
PCIe P2	Enable	Enable	WLAN
PCIe P3	Enable	Enable	
PCIe P4	Enable	Enable	
PCIe P5	Enable	Disable	
PCIe P6	Enable	Disable	
PCIe P7	Enable	Disable	
PCIe P8	Enable	Disable	

HM70 Disable P5,P6,P7,P8

Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/06/15	Deciphered Date 2012/07/11	Title: Notes List

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Size: B	Document Number: LA-7981P		Rev: 0.2
Date: Wednesday, February 15, 2012	Sheet 3 of 58		

Hot plug detect for IFP link C

VGA and GDDR3 Voltage Rails (N13x GPIO)

GPIO	I/O	ACTIVE	Function Description
GPIO0	OUT	-	GPU VID4
GPIO1	OUT	-	GPU VID3
GPIO2	OUT	H	Panel Back-Light brightness(PWM capable)
GPIO3	OUT	H	Panel Power Enable
GPIO4	OUT	H	Panel Back-Light On/Off (PWM)
GPIO5	OUT	-	GPU VID1
GPIO6	OUT	-	GPU VID2
GPIO7	OUT	N/A	
GPIO8	I/O	-	Thermal Catastrophic Over Temperature
GPIO9	OUT	-	Thermal Alert
GPIO10	OUT	-	Memory VREF Control
GPIO11	OUT	-	GPU VID0
GPIO12	IN		AC Power Detect Input (10K pull low)
GPIO13	OUT	-	GPU VID5
GPIO14	OUT	N/A	
GPIO15	IN		Hot plug detect for IFP link C
GPIO16	OUT	N/A	
GPIO17	IN	N/A	
GPIO18	IN		Hot Plug Detect for IFPE
GPIO19	IN	N/A	



1. all power rail ramp up time should be larger than 40us

2. Optimus system VDD33 avoids drop down earlier than NVDD and FBVDDQ



1.all GPU power rails should be turned off within 10ms

Performance Mode P0 TDP at Tj = 102 C* (GDDR3)

Products	GPU (4) (W)	Mem (1,5) (W)	NVCLK /MCLK (MHz)	NVVDD (V)	NVVDD (A)	NVVDD (W)	FBVDD (1.35V) (A)	FBVDD (1.35V) (W)	FBVDDQ (GPU+Mem) (1.35V) (A)	FBVDDQ (GPU+Mem) (1.35V) (W)	PCI Express (1.05V) (6) (mA)	PCI Express (1.05V) (6) (W)	I/O and PLLVDD (1.8V) (mA)	I/O and PLLVDD (1.8V) (W)	I/O and PLLVDD (1.05V) (mA)	I/O and PLLVDD (1.05V) (W)	Other (3.3V) (mA)	Other (3.3V) (W)
N13P-GL 64bit 1GB GDDR3	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

Physical Strapping pin	Power Rail	Logical Strapping Bit3	Logical Strapping Bit2	Logical Strapping Bit1	Logical Strapping Bit0
ROM_SCLK	+3VS_VGA	PCI_DEVID[4]	SUB_VENDOR	SLOT_CLK_CFG	PEX_PLL_EN_TERM
ROM_SI	+3VS_VGA	RAM_CFG[3]	RAM_CFG[2]	RAM_CFG[1]	RAM_CFG[0]
ROM_SO	+3VS_VGA	FB[1]	FB[0]	SMB_ALT_ADDR	VGA_DEVICE
STRAP0	+3VS_VGA	USER[3]	USER[2]	USER[1]	USER[0]
STRAP1	+3VS_VGA	3GIO_PAD_CFG_ADR[3]	3GIO_PAD_CFG_ADR[2]	3GIO_PAD_CFG_ADR[1]	3GIO_PAD_CFG_ADR[0]
STRAP2	+3VS_VGA	PCI_DEVID[3]	PCI_DEVID[2]	PCI_DEVID[1]	PCI_DEVID[0]
STRAP3	+3VS_VGA	SOR3_EXPOSED	SOR2_EXPOSED	SOR1_EXPOSED	SOR0_EXPOSED
STRAP4	+3VS_VGA	RESERVED	PCIE_SPEED_CHANGE_GEN3	PCIE_MAX_SPEED	DP_PLL_VDD33V

	Device ID
N13P-GL (28nm)	???
N13M-GE (28nm)	???

GPU	FB Memory (GDDR3)		ROM_SO	ROM_SCLK	ROM_SI	STRAP2	STRAP1	STRAP0
N13P-GL N13M-GE	Samsung 2500MHz	K4G10325FG-HC04						
		32Mx32	PD 10K	PD 15K	PD 20K	PU 20K	PD 35K	PU 45K
	Hynix 2500MHz	H5GQ1H24BFR-T2C						
		32Mx32	PD 10K	PD 15K	PD 15K	PU 20K	PD 35K	PU 45K
	Samsung 2500MHz	K4G20325FG-HC04						
		64Mx32	PD 10K	PD 15K	PD 20K	PU 20K	PD 35K	PU 45K
	Hynix 2500MHz	H5GQ2H24MFR-T2C						
		64Mx32	PD 10K	PD 15K	PD 20K	PU 20K	PD 35K	PU 45K

X76

Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/06/15	Deciphered Date 2012/07/11	Title: VGA Notes List
Size: Custom	Document Number: LA-7981P		Rev: 0.2
Date: Wednesday, February 15, 2012	Sheet 4 of 58		

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

PEG_ICOMPI and RCOMPO signals should be shorted and routed
with - max length = 500 mils - typical impedance = 43 mohms
PEG_ICOMPO signals should be routed with - max length = 500 mils
- typical impedance = 14.5 mohms

+1.05VS_VTT

R249 24.9_0402_1%

W=12mil L=500mil S=15mil

PEG_COMP

UCPU1A

PEG_ICOMPI G3
PEG_ICOMPO G1
PEG_RCOMPO G4

DMI_RX#[0] DMI_RX#[1] DMI_RX#[2] DMI_RX#[3]
DMI_RX[0] DMI_RX[1] DMI_RX[2] DMI_RX[3]
DMI_TX#[0] DMI_TX#[1] DMI_TX#[2] DMI_TX#[3]
DMI_TX[0] DMI_TX[1] DMI_TX[2] DMI_TX[3]

<16> DMI_CRX_PTX_N0 DMI_CRX_PTX_N0 M2
<16> DMI_CRX_PTX_N1 DMI_CRX_PTX_N1 P6
<16> DMI_CRX_PTX_N2 DMI_CRX_PTX_N2 P1
<16> DMI_CRX_PTX_N3 DMI_CRX_PTX_N3 P10
<16> DMI_CRX_PTX_P0 DMI_CRX_PTX_P0 N3
<16> DMI_CRX_PTX_P1 DMI_CRX_PTX_P1 P7
<16> DMI_CRX_PTX_P2 DMI_CRX_PTX_P2 P3
<16> DMI_CRX_PTX_P3 DMI_CRX_PTX_P3 P11
<16> DMI_CTX_PRX_N0 DMI_CTX_PRX_N0 K1
<16> DMI_CTX_PRX_N1 DMI_CTX_PRX_N1 M8
<16> DMI_CTX_PRX_N2 DMI_CTX_PRX_N2 N4
<16> DMI_CTX_PRX_N3 DMI_CTX_PRX_N3 R2
<16> DMI_CTX_PRX_P0 DMI_CTX_PRX_P0 K3
<16> DMI_CTX_PRX_P1 DMI_CTX_PRX_P1 M7
<16> DMI_CTX_PRX_P2 DMI_CTX_PRX_P2 P4
<16> DMI_CTX_PRX_P3 DMI_CTX_PRX_P3 T3

DMI

FDI0_TX#[0] FDI0_TX#[1] FDI0_TX#[2] FDI0_TX#[3]
FDI1_TX#[0] FDI1_TX#[1] FDI1_TX#[2] FDI1_TX#[3]
FDI0_TX[0] FDI0_TX[1] FDI0_TX[2] FDI0_TX[3]
FDI1_TX[0] FDI1_TX[1] FDI1_TX[2] FDI1_TX[3]
FDI0_FSYNC FDI1_FSYNC
FDI_INT
FDI0_LSYNC FDI1_LSYNC

<16> FDI_CTX_PRX_N0 FDI_CTX_PRX_N0 U7
<16> FDI_CTX_PRX_N1 FDI_CTX_PRX_N1 W11
<16> FDI_CTX_PRX_N2 FDI_CTX_PRX_N2 W1
<16> FDI_CTX_PRX_N3 FDI_CTX_PRX_N3 AA6
<16> FDI_CTX_PRX_N4 FDI_CTX_PRX_N4 W6
<16> FDI_CTX_PRX_N5 FDI_CTX_PRX_N5 V4
<16> FDI_CTX_PRX_N6 FDI_CTX_PRX_N6 Y2
<16> FDI_CTX_PRX_N7 FDI_CTX_PRX_N7 AC9
<16> FDI_CTX_PRX_P0 FDI_CTX_PRX_P0 U6
<16> FDI_CTX_PRX_P1 FDI_CTX_PRX_P1 W10
<16> FDI_CTX_PRX_P2 FDI_CTX_PRX_P2 W3
<16> FDI_CTX_PRX_P3 FDI_CTX_PRX_P3 AA7
<16> FDI_CTX_PRX_P4 FDI_CTX_PRX_P4 W7
<16> FDI_CTX_PRX_P5 FDI_CTX_PRX_P5 T4
<16> FDI_CTX_PRX_P6 FDI_CTX_PRX_P6 AA3
<16> FDI_CTX_PRX_P7 FDI_CTX_PRX_P7 AC8
<16> FDI_FSYNC0 FDI_FSYNC0 AA11
<16> FDI_FSYNC1 FDI_FSYNC1 AC12
<16> FDI_INT FDI_INT U11
<16> FDI_LSYNC0 FDI_LSYNC0 AA10
<16> FDI_LSYNC1 FDI_LSYNC1 AG8

Intel(R) FDI

PCI EXPRESS - GRAPHICS

PEG_RX#[0] H22
PEG_RX#[1] J21
PEG_RX#[2] B22
PEG_RX#[3] D21
PEG_RX#[4] A19
PEG_RX#[5] D17
PEG_RX#[6] B14
PEG_RX#[7] D13
PEG_RX#[8] A11
PEG_RX#[9] B10
PEG_RX#[10] G8
PEG_RX#[11] A8
PEG_RX#[12] B6
PEG_RX#[13] H8
PEG_RX#[14] E5
PEG_RX#[15] K7

PEG_GTX_C_HRX_N8 C259 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N8
PEG_GTX_C_HRX_N9 C276 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N9
PEG_GTX_C_HRX_N10 C257 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N10
PEG_GTX_C_HRX_N11 C274 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N11
PEG_GTX_C_HRX_N12 C254 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N12
PEG_GTX_C_HRX_N13 C272 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N13
PEG_GTX_C_HRX_N14 C252 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N14
PEG_GTX_C_HRX_N15 C270 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_N15

PEG_RX[0] K22
PEG_RX[1] K19
PEG_RX[2] C21
PEG_RX[3] D19
PEG_RX[4] C19
PEG_RX[5] D16
PEG_RX[6] C13
PEG_RX[7] D12
PEG_RX[8] C11
PEG_RX[9] C9
PEG_RX[10] F8
PEG_RX[11] C8
PEG_RX[12] C5
PEG_RX[13] H6
PEG_RX[14] F6
PEG_RX[15] K6

PEG_GTX_C_HRX_P8 C258 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P8
PEG_GTX_C_HRX_P9 C277 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P9
PEG_GTX_C_HRX_P10 C256 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P10
PEG_GTX_C_HRX_P11 C275 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P11
PEG_GTX_C_HRX_P12 C255 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P12
PEG_GTX_C_HRX_P13 C273 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P13
PEG_GTX_C_HRX_P14 C253 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P14
PEG_GTX_C_HRX_P15 C271 OPT@ 0.22U_0402_6.3V6K PEG_GTX_HRX_P15

PEG_TX#[0] G22
PEG_TX#[1] C23
PEG_TX#[2] D23
PEG_TX#[3] F21
PEG_TX#[4] H19
PEG_TX#[5] C17
PEG_TX#[6] K15
PEG_TX#[7] F17
PEG_TX#[8] F14
PEG_TX#[9] A15
PEG_TX#[10] J14
PEG_TX#[11] H13
PEG_TX#[12] M10
PEG_TX#[13] F10
PEG_TX#[14] D9
PEG_TX#[15] J4

PEG_HTX_GRX_N8 C562 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N8
PEG_HTX_GRX_N9 C582 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N9
PEG_HTX_GRX_N10 C564 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N10
PEG_HTX_GRX_N11 C584 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N11
PEG_HTX_GRX_N12 C566 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N12
PEG_HTX_GRX_N13 C587 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N13
PEG_HTX_GRX_N14 C568 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N14
PEG_HTX_GRX_N15 C589 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_N15

PEG_TX[0] F22
PEG_TX[1] A23
PEG_TX[2] D24
PEG_TX[3] E21
PEG_TX[4] G19
PEG_TX[5] B18
PEG_TX[6] K17
PEG_TX[7] G17
PEG_TX[8] E14
PEG_TX[9] C15
PEG_TX[10] K13
PEG_TX[11] G13
PEG_TX[12] K10
PEG_TX[13] G10
PEG_TX[14] D8
PEG_TX[15] K4

PEG_HTX_GRX_P8 C561 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P8
PEG_HTX_GRX_P9 C583 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P9
PEG_HTX_GRX_P10 C563 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P10
PEG_HTX_GRX_P11 C585 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P11
PEG_HTX_GRX_P12 C565 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P12
PEG_HTX_GRX_P13 C586 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P13
PEG_HTX_GRX_P14 C567 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P14
PEG_HTX_GRX_P15 C588 OPT@ 0.22U_0402_6.3V6K PEG_HTX_C_GRX_P15

IVY-BRIDGE_BGA1023

PEG_GTX_HRX_N[8..15] <23>
PEG_GTX_HRX_P[8..15] <23>
PEG_HTX_C_GRX_N[8..15] <23>
PEG_HTX_C_GRX_P[8..15] <23>

Typ- suggest 220nF. The change in AC capacitor value from 100nF to 220nF is to enable compatibility with future platforms having PCIE Gen3 (8GT/s)

+1.05VS_VTT

R247 24.9_0402_1%

EDP_COMP

W=12mil L=500mil S=15mil

eDP_COMPIO AF3
eDP_ICOMPO AD2
eDP_HPD# AG11
eDP_AUX# AG4
eDP_AUX AF4
eDP_TX#[0] AC3
eDP_TX#[1] AC4
eDP_TX#[2] AE11
eDP_TX#[3] AE7
eDP_TX[0] AC1
eDP_TX[1] AA4
eDP_TX[2] AE10
eDP_TX[3] AE6

eDP

eDP_COMPIO and ICOMPO signals should be shorted near balls and routed with typical impedance <25 mohms
can't be left floating ,even if disable eDP function...

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PROCESSOR(1/7) DMI,FDI,PEG

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 5 of 58

PCH->CPU
UNCOREPWRGOOD:非CORE外的電OK
SM_DRAMPWROK:DRAM power ok
RESET#:都ok後請CPU做reset

Follow DG 1.5& Tacoma_Fall2 1.0 reserve

C614 @ 0.1U_0402_16V4Z — H_CPUPWRGD_R
R292 @ 10K_0402_5%

PROC_SELECT#
PH VCPLL and connect to PCH DF_TVS

XBOX 三紅功能

UNCOREPWRGOOD:非CORE外的電OK

UCPU1B

MISC THERMAL
- <18> H_SNB_IVB# → PROC_SELECT# F49
- R35 @ 10K_0402_5% → PROC_DETECT# C57
- @ T33 PAD — H_CATERR# → CATERR# C49
- <19,42> H_PECI → PECI A48
- +1.05VS_VTT — R534 @ 62_0402_5% — H_PROCHOT# <42,49> H_PROCHOT# — R533 @ 56_0402_5% — H_PROCHOT#_R → PROCHOT# C45
- <19> H_THERMTRIP# → THERMTRIP# D45

CLOCKS
- BCLK J3 CLK_CPU_DMI → CLK_CPU_DMI <15>
- BCLK# H2 CLK_CPU_DMI# → CLK_CPU_DMI# <15>
- DPLL_REF_CLK AG3 CLK_CPU_DPLL — R516 1K_0402_5%
- DPLL_REF_CLK# AG1 CLK_CPU_DPLL# — R517 1K_0402_5% — +1.05VS_VTT

SM_RCOMP0,SM_RCOMP1
W=20mil L=500mil S=13mil

SM_RCOMP2
W=15mil L=500mil S=13mil

DDR3 MISC
- SM_DRAMRST# AT30 → H_DRAMRST# → H_DRAMRST# <7>
- SM_RCOMP[0] BF44 SM_RCOMP0 R272 140_0402_1%
- SM_RCOMP[1] BE43 SM_RCOMP1 R273 25.5_0402_1%
- SM_RCOMP[2] BG43 SM_RCOMP2 R267 200_0402_1%
- @ C82 100P_0402_50V8J — ESD C Reserve

DDR3 Compensation Signals

JTAG & BPM
- PRDY# N53
- PREQ# N55
- TCK L56 XDP_TCK
- TMS L55 XDP_TMS
- TRST# J58 XDP_TRST#
- TDI M60 XDP_TDI
- TDO L59 XDP_TDO
- DBR# K58 XDP_DBRESET#
- BPM#[0] G58
- BPM#[1] E55
- BPM#[2] E59
- BPM#[3] G55
- BPM#[4] G59
- BPM#[5] H60
- BPM#[6] J59
- BPM#[7] J61

PWR MANAGEMENT
- <16> H_PM_SYNC → PM_SYNC C48
- <19> H_CPUPWRGD → H_CPUPWRGD_R — R305 0_0402_5% → UNCOREPWRGOOD B46
- R237 130_0402_1% — VDDPWRGOOD_R → SM_DRAMPWROK BE45
- BUF_CPU_RST# → RESET# D44

IVY-BRIDGE_BGA1023

+1.05VS_VTT
- XDP_TMS R20 51_0402_5%
- XDP_TDI R39 51_0402_5%
- XDP_TDO R37 51_0402_5%
- XDP_TCK R40 51_0402_5%
- XDP_TRST# R28 51_0402_5%

PU/PD for JTAG signals

+3VS
XDP_DBRESET# R312 @ 1K_0402_5%

Tacoma_Fall2 1.0 PH 1K +3VS
Check list 1.5 PH 1K +3VS
Debug port DG1.1-1.3 50~5K ohm

+3VALW
C228 0.1U_0402_16V4Z
+3VS
R31 10K_0402_5%
<16> SYS_PWROK — SYS_PWROK — R60 @ 10K_0402_5%
<16> PM_DRAM_PWRGD — PM_DRAM_PWRGD
U22 74AHC1G09GW_TSSOP5
+1.5V_CPU_VDDQ
R238 200_0402_5%
PM_SYS_PWRGD_BUF
R38 @ 39_0402_5%
<10> RUN_ON_CPU1.5VS3# — RUN_ON_CPU1.5VS3# — R13 @ 0_0402_5%
<10,47,52> SUSP — R14 @ 0_0402_5%
Q4 @ 2N7002K_SOT23-3

Buffered reset to CPU

+3VS
+1.05VS_VTT
R546 75_0402_5%
C617 0.1U_0402_16V4Z
U45 SN74LVC1G07DCKR_SC70-5
BUF_CPU_RST# — R544 @ 43_0402_5% — BUFO_CPU_RST#
PCH_PLTRST# — PCH_PLTRST# <18>
C43 @ 0.1U_0402_16V4Z
R9 @ 0_0402_5%

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PROCESSOR(2/7) DDRIII

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 6 of 58







Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PROCESSOR(3/7) DDRIII

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 Sheet 7 of 58



CFG Straps for Processor



PEG Static Lane Reversal - CFG2 is for the 16x	
CFG2	1: Normal Operation; Lane # definition matches socket pin map definition * 0:Lane Reversed



eDP enable	
CFG4	* 1:Disable 0:Enable



PCIE Port Bifurcation Straps	
CFG[6:5]	*11: (Default) 1x16 PCI Express 10: 2x8 PCI Express 01: Reserved 00: 1x8,2x4 PCI Express



PEG DEFER TRAINING	Tacoma_Fall2 1.0 P.12
CFG7	1: (Default) PEG Train immediately following xxRESETB de assertion 0: PEG Wait for BIOS for training

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title	PROCESSOR(4/7) RSVD,CFG		
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 8 of 58		

POWER

ULV type
DC 33A

8.5A

UCPU1F

+CPU_CORE

INTEL Recommend VCC
4*470UF,12*22uF(0805) and 35*2.2uF(0402)
PD0.8
CAP at Power side

CORE SUPPLY

VCC[1] A26, A29, A31, A34, A35, A38, A39, A42, C26, C27, C32, C34, C37, C39, C42, D27, D32, D34, D37, D39, D42, E26, E28, E32, E34, E37, E38, F25, F26, F28, F32, F34, F37, F38, F42, G42, H25, H26, H28, H29, H32, H34, H35, H37, H38, H40, J25, J26, J28, J29, J32, J34, J35, J37, J38, J40, J42, K26, K27, K29, K32, K34, K35, K37, K39, K42, L25, L28, L33, L36, L40, N26, N30, N34, N38 VCC[76]

PEG IO AND DDR IO

+1.05VS_VTT

For DDR

VCCIO[1] AF46, VCCIO[3] AG48, VCCIO[4] AG50, VCCIO[5] AG51, VCCIO[6] AJ17, VCCIO[7] AJ21, VCCIO[8] AJ25, VCCIO[9] AJ43, VCCIO[10] AJ47, VCCIO[11] AK50, VCCIO[12] AK51, VCCIO[13] AL14, VCCIO[14] AL15, VCCIO[15] AL16, VCCIO[16] AL20, VCCIO[17] AL22, VCCIO[18] AL26, VCCIO[19] AL45, VCCIO[20] AL48, VCCIO[21] AM16, VCCIO[22] AM17, VCCIO[23] AM21, VCCIO[24] AM43, VCCIO[25] AM47, VCCIO[26] AN20, VCCIO[27] AN42, VCCIO[28] AN45, VCCIO[29] AN48

INTEL Recommend VCCIO
2*330UF,10*10uF(0603) and 26*1uF(0402)
PD0.8
CAP at Power side

For PEG

VCCIO[30] AA14, VCCIO[31] AA15, VCCIO[32] AB17, VCCIO[33] AB20, VCCIO[34] AC13, VCCIO[35] AD16, VCCIO[36] AD18, VCCIO[37] AD21, VCCIO[38] AE14, VCCIO[39] AE15, VCCIO[40] AE16, VCCIO[41] AF18, VCCIO[42] AF20, VCCIO[43] AG15, VCCIO[44] AG16, VCCIO[45] AG17, VCCIO[46] AG20, VCCIO[47] AG21, VCCIO[48] AJ14, VCCIO[49] AJ15

+1.05VS_VTT

VCCIO50 W16, VCCIO51 W17

+3VS

R521 10K_0402_5%

VCCIO_SEL

@ R522 10K_0402_5%

VCCIO_SEL after Ivy bridge ES2 Voltage support	
BC22 *	1/NC : (Default) +1.05VS_VTT 0: +1.0VS_VTT

VCCIO_SEL BC22 VCCIO_SEL

QUIET RAILS

+1.05VS_VTT

VCCPQE[1] AM25, VCCPQE[2] AN22

C553 1U_0402_6.3V6K

+1.05VS_VTT R531 130_0402_5%

+1.05VS_VTT R529 75_0402_5%

Place the PU resistors close to CPU

SVID

VIDALERT# A44 H_CPU_SVIDALRT# R528 43_0402_1% VR_SVID_ALRT# <56>
VIDSCLK B43 H_CPU_SVIDCLK R527 0_0402_5% VR_SVID_CLK <56>
VIDSOUT C44 H_CPU_SVIDDAT R530 0_0402_5% VR_SVID_DAT <56>

Place the PU resistors close to VR

+CPU_CORE

R79 @ 100_0402_1%

R281 100_0402_1%

SENSE LINES

VCC_SENSE F43 VCCSENSE_R R282 0_0402_5% VCCSENSE <56>
VSS_SENSE G43 VSSSENSE_R R289 0_0402_5% VSSSENSE <56>

R288 100_0402_1%

R513 10_0402_5% +1.05VS_VTT

VCCIO_SENSE AN16 VCCIO_SENSE <54>
VSS_SENSE_VCCIO AN17 VSSIO_SENSE_L <54>

R512 10_0402_5%

Check list 1.5

Should change to connect form power cirucit & layout differential with VCCIO_SENSE.

IVY-BRIDGE_BGA1023

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PROCESSOR(5/7) PWR,BYPASS

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 Sheet 9 of 58



Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/06/24	2012/07/12	Title: PROCESSOR(6/7) PWR

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Size	Document Number	Rev
Custom	LA-8971P	0.1
Date: Wednesday, February 15, 2012	Sheet 10 of 58	



Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PROCESSOR(7/7) VSS

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 11 of 58

DDR3 SO-DIMM A



Layout Note: Place near JDIMM1

Layout Note: Place these 4 Caps near Command and Control signals of JDIMM1

Layout Note: Place near JDDRL.203,204

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: DDRIII DIMMB

Size	Document Number	Rev
Custom	LA-8971P	0.1
Date: Wednesday, February 15, 2012	Sheet 12 of 58	



Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title: DDRIII DIMMB			
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 13 of 58		

CLRP1/2 close RAM door JDIMM1/2

C439 1U_0603_10V6K — CLRP1 SHORT PADS — C440 1U_0603_10V6K — CLRP2 SHORT PADS

+RTCVCC — R356 20K_0402_5% — PCH_RTCRST#

+RTCVCC — R357 20K_0402_5% — PCH_SRTCRST#

+RTCVCC — R358 1M_0402_5% — SM_INTRUDER#

R363 330K_0402_5% — PCH_INTVRMEN

INTVRMEN

★ H : Integrated VRM enable

L : Integrated VRM disable

(INTVRMEN should always be pull high.)

+3VS — R109 @ 1K_0402_5% — PCH_SPKR

HIGH= Enable (No Reboot)Disable TCO timer system reboot feature

★ LOW= Disable (Default internal PD)

+3V_PCH — R46 @ 1K_0402_5% — HDA_SDOUT_PCH

<42> ME_FLASH — R73 0_0402_5%

HDA_SDO

ME debug mode,this signal has a weak internal PD

★ Low = Disabled (Default)

High = Enabled [Flash Descriptor Security Overide]

+3V_PCH — R47 1K_0402_5% — HDA_SYNC_PCH

This signal has a weak internal pull-down

On Die PLL VR Select is supplied by

★1.5V when sampled high

1.8V when sampled low

Needs to be pulled High for Huron River platfrom

<31> HDA_BITCLK_AUDIO — R75 33_0402_5% — HDA_BITCLK_PCH

<31> HDA_SYNC_AUDIO — R80 33_0402_5% — HDA_SYNC_PCH_R

<31> HDA_RST_AUDIO# — R74 33_0402_5% — HDA_RST_PCH#

<31> HDA_SDOUT_AUDIO — R72 33_0402_5% — HDA_SDOUT_PCH

+3V_PCH — R134 200_0402_5% — PCH_JTAG_TDO

+3V_PCH — R143 200_0402_5% — PCH_JTAG_TMS

+3V_PCH — R137 200_0402_5% — PCH_JTAG_TDI

R141 100_0402_1% — PCH_JTAG_TDO

R140 100_0402_1% — PCH_JTAG_TMS

R142 100_0402_1% — PCH_JTAG_TDI

PCH_RTCX1 — R406 10M_0402_5% — PCH_RTCX2

Y2 32.768KHZ_12.5PF_9H03200019

C452 18P_0402_50V8J

C451 18P_0402_50V8J

+RTCVCC — W=20mils — +RTCBATT — W=20mils

R59 1K_0402_5%

C441 1U_0603_10V4Z

Prevent back drive issue.

+5VS — Q3 BSS138_NL_SOT23-3

HDA_SYNC_PCH_R — R48 @ 0_0402_5% — PCH_SPKR

R29 1M_0402_5%

<31> PCH_SPKR

<31> HDA_SDIN0

U13A

PCH_RTCX1	A20	RTCX1	RTC	FWH0 / LAD0	C38 LPC_AD0
PCH_RTCX2	C20	RTCX2		FWH1 / LAD1	A38 LPC_AD1
PCH_RTCRST#	D20	RTCRST#		FWH2 / LAD2	B37 LPC_AD2
PCH_SRTCRST#	G22	SRTCRST#		FWH3 / LAD3	C37 LPC_AD3
SM_INTRUDER#	K22	INTRUDER#		FWH4 / LFRAME#	D36 LPC_FRAME#
PCH_INTVRMEN	C17	INTVRMEN		LDRQ0#	E36
HDA_BITCLK_PCH	N34	HDA_BCLK	IHDA	LDRQ1# / GPIO23	K36 — R118 10K_0402_5% — +3VS
HDA_SYNC_PCH	L34	HDA_SYNC		SERIRQ	V5 — SERIRQ — SERIRQ <42>
PCH_SPKR	T10	SPKR		SATA0RXN	AM3 SATA_PRX_DTX_N0
HDA_RST_PCH#	K34	HDA_RST#		SATA0RXP	AM1 SATA_PRX_DTX_P0
HDA_SDIN0	E34	HDA_SDIN0		SATA0TXN	AP7 SATA_PTX_C_DRX_N0 C127 0.01U_0402_16V7K SATA_PTX_DRX_N0
	G34	HDA_SDIN1		SATA0TXP	AP5 SATA_PTX_C_DRX_P0 C131 0.01U_0402_16V7K SATA_PTX_DRX_P0
	C34	HDA_SDIN2		SATA1RXN	AM10 SATA_PRX_C_DTX_N1_R
	A34	HDA_SDIN3		SATA1RXP	AM8 SATA_PRX_C_DTX_P1_R
HDA_SDOUT_PCH	A36	HDA_SDO		SATA1TXN	AP11 SATA_PTX_DRX_N1_R
	C36	HDA_DOCK_EN# / GPIO33		SATA1TXP	AP10 SATA_PTX_DRX_P1_R
	N32	HDA_DOCK_RST# / GPIO13		SATA2RXN	AD7 SATA_PRX_C_DTX_N2
PCH_JTAG_TCK	J3	JTAG_TCK	JTAG	SATA2RXP	AD5 SATA_PRX_C_DTX_P2
PCH_JTAG_TMS	H7	JTAG_TMS		SATA2TXN	AH5 SATA_PTX_DRX_N2
PCH_JTAG_TDI	K5	JTAG_TDI		SATA2TXP	AH4 SATA_PTX_DRX_P2
PCH_JTAG_TDO	H1	JTAG_TDO		SATA3RXN	AB8
PCH_SPI_CLK	T3	SPI_CLK	SPI	SATA3RXP	AB10
PCH_SPI_CS0#	Y14	SPI_CS0#		SATA3TXN	AF3
PCH_SPI_CS1#	T1	SPI_CS1#		SATA3TXP	AF1
PCH_SPI_MOSI	V4	SPI_MOSI		SATA4RXN	Y7 SATA_PRX_C_DTX_N4
PCH_SPI_MISO	U3	SPI_MISO		SATA4RXP	Y5 SATA_PRX_C_DTX_P4
			SATA	SATA4TXN	AD3 SATA_PTX_DRX_N4
				SATA4TXP	AD1 SATA_PTX_DRX_P4
				SATA5RXN	Y3
				SATA5RXP	Y1
				SATA5TXN	AB3
				SATA5TXP	AB1
				SATAICOMPO	Y11 — L=500mil S=15mil — +1.05VS_VTT
				SATAICOMPI	Y10 — SATA_COMP — R121 37.4_0402_1%
				SATA3RCOMPO	AB12 — L=500mil S=15mil — +1.05VS_VTT
				SATA3COMPI	AB13 — SATA3_COMP — R126 49.9_0402_1%
				SATA3RBIAS	AH1 — RBIAS_SATA3 — R440 750_0402_1%
				SATALED#	P3 — PCH_SATALED# — R429 10K_0402_5%
				SATA0GP / GPIO21	V14 — PCH_GPIO21 — R436 10K_0402_5% — +3VS
				SATA1GP / GPIO19	P1 — BBS_BIT0_R — R466 10K_0402_5%

COUGARPOINT_FCBGA989

mSATA

HDD for HM77

HDD for HM70

Disable w/ HM70

ODD

PCH_SPI_CLK_2 — R433 WIN8@ 33_0402_5%

PCH_SPI_CLK_1 — R432 33_0402_5% — PCH_SPI_CLK

PCH_SPI_CS0#_1 — R127 33_0402_5% — PCH_SPI_CS0#

PCH_SPI_CS1#_2 — R446 WIN8@ 33_0402_5%

PCH_SPI_CS1#_1 — R446 33_0402_5% — PCH_SPI_CS1#

PCH_SPI_MOSI_2 — R123 WIN8@ 33_0402_5%

PCH_SPI_MOSI_1 — R122 33_0402_5% — PCH_SPI_MOSI

PCH_SPI_MISO_1 — R437 33_0402_5% — PCH_SPI_MISO

PCH_SPI_MISO_2 — R438 WIN8@ 33_0402_5%

R100 51_0402_5%

Boot BIOS Strap		
Boot BIOS	GPIO51	GPIO19
LPC	0	0
Reserved	0	1
-	1	0
★ SPI	1	1

+3VS — R22 3.3K_0402_5% — PCH_SPI_CS0#_1 — SPI_WP1# — R89 3.3K_0402_5% — SPI_HOLD1#

U44 — CS# VCC, WP# SCLK, HOLD# SI, GND SO — PCH_SPI_CLK_1, PCH_SPI_MOSI_1, PCH_SPI_MISO_1

MX25L3206EM2I-12G_SO8

SA000041P00

SPI ROM FOR ME (4MB)

Footprint 200mil

+3VS — R21 WIN8@ 3.3K_0402_5% — PCH_SPI_CS1#_2 — SPI_WP2# — R88 WIN8@ 3.3K_0402_5% — SPI_HOLD2#

U46 WIN8@ — CS# VCC, WP# SCLK, HOLD# SI, GND SO — PCH_SPI_CLK_2, PCH_SPI_MOSI_2, PCH_SPI_MISO_2

MX25L1606EM2I-12G_SO8

SA000041N00

SPI ROM FOR ME (2MB)

Footprint 200mil

Reserve for EMI

@ C459 10P_0402_50V8J — @ R434 33_0402_5% — PCH_SPI_CLK

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PCH (1/9) SATA,HDA,SPI, LPC, XDP

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 14 of 58



Security Classification	Compal Secret Data
Issued Date	2011/06/24
Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.	
Title	PCH (2/9) PCIE, SMBUS, CLK
Size	Custom
Document Number	LA-8971P
Rev	0.1
Date:	Wednesday, February 15, 2012
Sheet	15 of 58



Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/06/24	Deciphered Date 2012/07/12	Title: PCH (3/9) DMI,FDI,PM

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 16 of 58		



Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title	PCH (4/9) LVDS,CRT,DP,HDMI		
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 17 of 58		



Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PCH (5/9) PCI, USB, NVRAM

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 18 of 58

GPIO28

On-Die PLL Voltage Regulator

This signal has a weak internal pull up

★ H : On-Die PLL voltage regulator enable
L : On-Die PLL Voltage Regulator disable

+3V_PCH — R411 4.7K_0402_5% — PCH_GPIO28 — @ R413 1K_0402_5% — Debug Port DG 1.2 PH 4.7K +3VALW_PCH

Deep S4,S5 wake event signal
RTC alarm,Power BTN,GPIO27
PCH_GPIO27 (Have internal Pull-High)
Deep S4,S5 wake event signal

R83 @ 10K_0402_5% EC_LID_OUT#

+3VS — R439 200K_0402_5% ODD_DETECT#

+3V_PCH — R261 @ 1K_0402_5% EC_SMI#

SATA2GP/GPIO36 & SATA3GP/GPIO37
Sampled at Rising edge of PWROK.
Weak internal pull-down.
(weak internal pull-down is disabled after PLTRST# de-asserts)
NOTE: This signal should NOT be pulled high when strap is sampled

+3VS — R115 10K_0402_5% mSATA_DET# — R71 10K_0402_5% DGPU_PWROK — R416 10K_0402_5% PCH_BT_ON# — R220 10K_0402_5% BT_DISABLE

+3V_PCH — R412 1K_0402_5% PCH_GPIO15

+3VS — R427 UMA@ 10K_0402_5% PCH_GPIO38 — R426 OPT@ 10K_0402_5%

	PCH_GPIO38
* OPT	0
UMA	1

Project ID	GPIO70		
*U510	1		

+3VS — @ R67 10K_0402_5% PCH_GPIO69 — R42 10K_0402_5%
+3VS — R69 10K_0402_5% PCH_GPIO70 — @ R44 10K_0402_5%
+3VS — @ R68 10K_0402_5% PCH_GPIO71 — R43 10K_0402_5%

U13F

+3VS — R112 10K_0402_5% PCH_GPIO0 — T7 BMBUSY# / GPIO0
+3VS — R402 10K_0402_5% PCH_GPIO1 — A42 TACH1 / GPIO1
+3VS — R70 10K_0402_5% PCH_GPIO6 — H36 TACH2 / GPIO6
<42> EC_SCI# — E38 TACH3 / GPIO7
<42> EC_SMI# — C10 GPIO8
+3V_PCH — R376 10K_0402_5% PCH_GPIO12 — C4 LAN_PHY_PWR_CTRL / GPIO12
PCH_GPIO15 — G2 GPIO15
<40> mSATA_DET# — mSATA_DET# — U2 SATA4GP / GPIO16
<30,55> DGPU_PWROK — DGPU_PWROK — D40 TACH0 / GPIO17
<40> BT_DISABLE — BT_DISABLE — T5 SCLOCK / GPIO22
+3V_PCH — R92 10K_0402_5% PCH_GPIO24 — E8 GPIO24 / MEM_LED
<42> EC_LID_OUT# — EC_LID_OUT# — E16 GPIO27
PCH_GPIO28 — P8 GPIO28
BT ON/OFF <40,43> PCH_BT_ON# — PCH_BT_ON# — K1 STP_PCI# / GPIO34
R97 10K_0402_5% — PCH_GPIO35 — K4 GPIO35
<39> ODD_DETECT# — ODD_DETECT# — V8 SATA2GP / GPIO36
PCH_GPIO37 — M5 SATA3GP / GPIO37
PCH_GPIO38 — N2 SLOAD / GPIO38
R221 10K_0402_5% PCH_GPIO39 — M3 SDATAOUT0 / GPIO39
R128 10K_0402_5% PCH_GPIO48 — V13 SDATAOUT1 / GPIO48
+3VS — R111 10K_0402_5% PCH_GPIO49 — V3 SATA5GP / GPIO49
+3V_PCH — R52 10K_0402_5% PCH_GPIO57 — D6 GPIO57

GPIO

TACH4 / GPIO68 — C40 — ODD_EN# — ODD_EN# <39>
TACH5 / GPIO69 — B41 — PCH_GPIO69
TACH6 / GPIO70 — C41 — PCH_GPIO70
TACH7 / GPIO71 — A40 — PCH_GPIO71

CPU/MISC

A20GATE — P4 — GATEA20 — GATEA20 <42>
PECI — AU16 — PCH_PECI_R — @ 0_0402_5% — R158 — H_PECI — H_PECI <6,42>
RCIN# — P5 — KBRST# — KBRST# <42>
PROCPWRGD — AY11 — H_CPUPWRGD — H_CPUPWRGD <6>
THRMTRIP# — AY10 — PCH_THRMTRIP#_R — R159 390_0402_5% — H_THERMTRIP# — H_THERMTRIP# <6>
INIT3_3V# — T14

2 R106 10K_0402_5% +3VS

+3VS — ODD_EN# — R103 10K_0402_5%
KBRST# — R400 10K_0402_5%

CTRL+ALT+DEL
non CPU power ok
130c shut down

INIT3_3V Checklist1.5 P.69
This signal has weak internal PU, can't pull low,leave NC

NC_1 — AH8
NC_2 — AK11
NC_3 — AH10
NC_4 — AK10
NC_5 — P37

NCTF

VSS_NCTF_1 — A4
VSS_NCTF_2 — A44
VSS_NCTF_3 — A45
VSS_NCTF_4 — A46
VSS_NCTF_5 — A5
VSS_NCTF_6 — A6
VSS_NCTF_7 — B3
VSS_NCTF_8 — B47
VSS_NCTF_9 — BD1
VSS_NCTF_10 — BD49
VSS_NCTF_11 — BE1
VSS_NCTF_12 — BE49
VSS_NCTF_13 — BF1
VSS_NCTF_14 — BF49
VSS_NCTF_15 — BG2
VSS_NCTF_16 — BG48
VSS_NCTF_17 — BH3
VSS_NCTF_18 — BH47
VSS_NCTF_19 — BJ4
VSS_NCTF_20 — BJ44
VSS_NCTF_21 — BJ45
VSS_NCTF_22 — BJ46
VSS_NCTF_23 — BJ5
VSS_NCTF_24 — BJ6
VSS_NCTF_25 — C2
VSS_NCTF_26 — C48
VSS_NCTF_27 — D1
VSS_NCTF_28 — D49
VSS_NCTF_29 — E1
VSS_NCTF_30 — E49
VSS_NCTF_31 — F1
VSS_NCTF_32 — F49

COUGARPOINT_FCBGA989

+3VS — @ R55 10K_0402_5% — PCH_GPIO37 — R94 10K_0402_5%

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PCH (6/9) GPIO, CPU, MISC

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 19 of 58



PCH Power Rail Table			
Voltage Rail	Voltage	S0 Iccmax Current(A)	
V_PROC_IO	1.05	0.001	Processor I/F
V5REF	5	0.001	PCH Core Well Reference Voltage
V5REF_Sus	5	0.001	Suspend Well Reference Voltag
Vcc3_3	3.3	0.266	I/O Buffer Voltage
VccADAC	3.3	0.001	Display DAC Analog Power. This power is supplied by the core well.
VccADPLLA	1.05	0.08	Display PLL A power
VccADPLLB	1.05	0.08	Display PLL B power
VccCore	1.05	1.3	Internal Logic Voltage
VccDMI	1.05	0.042	DMI Buffer Voltage
VccIO	1.05	2.925	Core Well I/O buffers
VccASW	1.05	1.01	1.05 V Supply for Intel R Management Engine and Integrated LAN
VccSPI	3.3	0.02	3.3 V Supply for SPI Controller Logic
VccDSW	3.3	0.003	3.3v supply for Deep S4/S5 well
VccpNAND	1.8	0.19	1.8V power supply for DF_TVS
VccRTC	3.3	6 uA	Battery Voltage
VccSus3_3	3.3	0.266	Suspend Well I/O Buffer Voltage
VccSusHDA	3.3 / 1.5	0.01	High Definition Audio Controller Suspend Voltage
VccVRM	1.8 / 1.5	0.16	1.8 V Internal PLL and VRMs (1.8 V for Desktop)
VccCLKDMI	1.05	0.02	DMI Clock Buffer Voltage
VccSSC	1.05	0.095	Spread Modulators Power Supply
VccDIFFCLKN	1.05	0.055	Differential Clock Buffers Power Supply
VccALVDS	3.3	0.001	Analog power supply for LVDS (Mobile Only)
VccTX_LVDS	1.8	0.06	Analog power supply for LVDS (Mobile Only)

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PCH (7/9) PWR

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 | Sheet 20 of 58


POWER
U13J
COUGARPOINT_FCBGA989
Clock and Miscellaneous
USB
PCI/GPIO/LPC
SATA
CPU
MISC
RTC
HDA
+1.05V analog internal clock PLL Can NC
suppied by internal 1.05V VR must NC
GPIO28
On-Die PLL Voltage Regulator
H : On-Die PLL voltage regulator enable
VCCFDIPLL,VCCAPLLEXP,VCCAPLLDMI2 ,VCCAPLLSATA
SGA20331E10
330U 2V H1.9
9mohm POLY
isolation between SSC (AG33) and DIFFCLKN(AF33,AF34,AG34)
18mil width(DIFFCLKN)
10mil (SSC)
Near T38
Near BD47
Near BF47
Near AA19
Near M6
Near V16
Near N26
Near T23
Near T24
Near M26
Near N20
Near AH13,AH14,AF13
Near AC16
Near P34
Near P32
Place near AG33
Place near AF33, AF34,AG34
Place near BJ8
Near A22
Place near AJ2
Place near AA16,W16
Place near T34
3mA
119mA
1010mA
1mA
80mA
55mA
95mA
10mA
Compal Secret Data
Issued Date 2011/06/24
Deciphered Date 2012/07/12
Compal Electronics, Inc.
PCH (8/9) PWR
LA-8971P
Rev 0.1
Wednesday, February 15, 2012
Sheet 21 of 58

Security Classification	Compal Secret Data		
Issued Date	2011/06/24	Deciphered Date	2012/07/12

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PCH (9/9) VSS

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 22 of 58

N13M-GS VID Default setup is 0.875V

GPIO	I/O	USAGE
GPIO0	O	GPU Core VID4
GPIO1	O	GPU Core VID3
GPIO2	O	LCD_BL_PWM
GPIO3	O	LCD_VCC
GPIO4	O	LCD_BLEN
GPIO5	O	GPU Core VID1
GPIO6	O	GPU Core VID2
GPIO7	O	3D Vision
GPIO8	I/O	OVERT
GPIO9	I/O	ALERT
GPIO10	O	MEM_VREF_CTL
GPIO11	O	GPU Core VID0
GPIO12	I	PWR_LEVEL
GPIO13	O	GPU Core VID5
GPIO14	I	HPD_AB
GPIO15	I	HPD_C
GPIO16	O	MEM_VDD_CTL
GPIO17	I	HPD_D
GPIO18	I	HPD_E
GPIO19	I	HPD_F
GPIO20		Reserved
GPIO21		Reserved

U48A
Part 1 of 5
N13P-GV-S_FCBGA595~D

PCI EXPRESS
GPIO
DACA
TEST
I2C
CLK



Security Classification	Compal Secret Data		
Issued Date	2011/05/23	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title: N13M-GS 2/7			
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 24 of 58		



Straps





For N13M-GS strap table

GPU	Frenq.	Memory Size	Memory Config	strap0	strap1	strap2	strap3	strap4	ROM_SI	ROM_SO	ROM_SCLK
N13P-GS	900 MHz	128M* 16* 4 1GB	Hynix SA00003YO00	R1073 PD 10K	R1071 PU 10K	R1072 PU 10K	R1076 PD 10K	R1077 PD 10K	R1132 PD 10K	R1116 PD 10K	R1118 PD 10K
	900 MHz	128M* 16* 4 1GB	Samsung SA000047Q00	R1070 PU 10K	R1078 PD 10K	R1072 PU 10K	R1076 PD 10K	R1077 PD 10K	R1132 PD 10K	R1116 PD 10K	R1118 PD 10K
	900 MHz										
	900 MHz										

SA000047Q00:S IC D3 128M16 K4W2G1646C-HC11 FBGA 96P

SA00003YO00:S IC D3 128MX16 H5TQ2G63BFR-11C FBGA 96P

Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/05/23	Deciphered Date 2012/12/31	Title: N13M-GS 3/7
			Size: Custom; Document Number: LA-8971P; Rev: 0.1
			Date: Wednesday, February 15, 2012; Sheet 25 of 58

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



Security Classification	Compal Secret Data		
Issued Date	2011/05/23	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title	N13M-GS 4/7		
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 26 of 58		



Security Classification	Compal Secret Data		
Issued Date	2011/05/23	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: N13M-GS 5/7

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 27 of 58

VRAM DDR3 chips (1GB)

128Mx16 DDR3 *4==>1GB













Mode D Address	0..31	32..63
CMD0	CS0_L#	
CMD1		
CMD2	ODT_L	
CMD3	CKE	
CMD4	A14	A14
CMD5	RST	RST
CMD6	A9	A9
CMD7	A7	A7
CMD8	A2	A2
CMD9	A0	A0
CMD10	A4	A4
CMD11	A1	A1
CMD12	BA0	BA0
CMD13	WE*	WE*
CMD14	A15	A15
CMD15	CAS*	CAS*
CMD16		CS0_H#
CMD17		
CMD18		ODT_H
CMD19		CKE_H
CMD20	A13	A13
CMD21	A8	A8
CMD22	A6	A6
CMD23	A11	A11
CMD24	A5	A5
CMD25	A3	A3
CMD26	BA2	BA2
CMD27	BA1	BA1
CMD28	A12	A12
CMD29	A10	A10
CMD30	RAS*	RAS*
Not Available		
	LOW	HIGH

	Command Bit	Default Pull-down
DDR3	ODTx	10k
	CKEx	10k
	RST	10k
	CS*	No Termination







Samsung :

Hynix :

Security Classification	Compal Secret Data		
Issued Date	2011/05/23	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title	N13M-GS 6/7		
Size	Custom	Document Number	LA-8971P
Rev	0.1		
Date:	Wednesday, February 15, 2012	Sheet	28 of 58

VRAM DDR3 chips (1GB)

128Mx16 DDR3 *4==>1GB

















Mode D Address	0..31	32..63
CMD0	CS0_L#	
CMD1		
CMD2	ODT_L	
CMD3	CKE	
CMD4	A14	A14
CMD5	RST	RST
CMD6	A9	A9
CMD7	A7	A7
CMD8	A2	A2
CMD9	A0	A0
CMD10	A4	A4
CMD11	A1	A1
CMD12	BA0	BA0
CMD13	WE*	WE*
CMD14	A15	A15
CMD15	CAS*	CAS*
CMD16		CS0_H#
CMD17		
CMD18		ODT_H
CMD19		CKE_H
CMD20	A13	A13
CMD21	A8	A8
CMD22	A6	A6
CMD23	A11	A11
CMD24	A5	A5
CMD25	A3	A3
CMD26	BA2	BA2
CMD27	BA1	BA1
CMD28	A12	A12
CMD29	A10	A10
CMD30	RAS*	RAS*
Not Available		
	LOW	HIGH

Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/05/23	Deciphered Date 2012/12/31	Title N13M-GS 7/7

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Size Custom	Document Number LA-8971P		Rev 0.1
Date: Wednesday, February 15, 2012	Sheet 29 of 58		

+1.5V to +1.5VSDGPU



+VCCP to +1.05VSDGPU



+3VS to +3VSDGPU







Security Classification	Compal Secret Data		
Issued Date	2011/07/12	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title: N13M-GE1-S-A1			
Size: Custom	Document Number: LA-8971P		Rev: 0.3
Date: Wednesday, February 15, 2012	Sheet 30 of 58		

600ohms @100MHz 1A
P/N: SM01000BU00

600ohms @100MHz 2A
P/N: SM01000EE00

Power down (PD#) power stage for save power
0V: Power down power stage
3.3V: Power up power stage

U50
ALC269Q-VC2-GR_QFN48_6X6

MIC Sense
R1543 place near pin13

Capless HP Sense
R940 place near pin34

COMBO JACK detect (Normal OPen)

Internal Speaker

Headphone

Internal D-MIC

external MIC

Place near Pin25
Place near Pin38
Place near Pin1
Place near Pin9
Place next to pin 27

wide 40 mils

EMI

PC Beep

Reserve for ESD request.

Pin Assignment	Location	Function
SPK-OUT (Pin40/41/44/45)	Internal	Int Speaker
Capless HP-OUT (Pin32/33)	External	Headphone out
MIC1(Pin21/22)	External	Mic in

Security Classification	Compal Secret Data		
Issued Date	2011/07/21	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics,Ltd.

Title: HD Audio Codec ALC269Q-VC

Size: C | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 31 of 58



PN: SCA00000T00

Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: Audio Combo Jack

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 32 of 58



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: LAN-RTL8111F/8105E

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 33 of 58



Reserve gas tube for EMI go rural solution

Place Close to TS1,TS2





Place Close to TS2



Place Close to TS1





THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

Compal Electronics, Inc.

Title: LAN_Transformer

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 34 of 58

LCD POWER CIRCUIT



CMOS Camera









LCD Conn.





Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title: LVDS/CAMERA			
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 35 of 58		





Mini-VGA CONNECTOR









Screw Hole



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: Mini-VGA & Screw Hole

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 | Sheet 36 of 58



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics,Ltd.

Title: HDMI CONN

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 | Sheet 37 of 58

SATA HDD Conn.



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: SATA HDD Connector

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 Sheet 38 of 58

SATA ODD FFC CONN.





Place caps. near ODD CONN.



Security Classification	Compal Secret Data		Compal Electronics, Inc.
Issued Date	2011/07/12	Deciphered Date 2012/12/31	Title: SATA ODD Conn

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Size	Document Number	Rev
Custom	LA-8971P	0.3

Date: Wednesday, February 15, 2012 Sheet 39 of 58

Mini-Express Card for WLAN with BT(Half)

Reserve for SW mini-pcie debug card.
Series resistors closed to KBC side.







Mini-Express Card for SSD(Full)

SSD Active:4.5W(1.5A)



Security Classification	Compal Secret Data		
Issued Date	2011/07/21	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: **W/L & m-SATA Card**

Size	Document Number	Rev
	LA-8971P	0.1

Date: Wednesday, February 15, 2012 Sheet 40 of 58

Security Classification	Compal Secret Data		
Issued Date	2011/07/12	Deciphered Date	2012/12/31

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: **NULL**

Size	Document Number	Rev
Custom	LA-8971P	0.3

Date: Wednesday, February 15, 2012 | Sheet 41 of 58

Vcc	3.3V +/- 5%
R1562	100K +/- 5%

Board ID	R1564	V_{AD_BID} min	V_{AD_BID} typ	V_{AD_BID} max	
0	0	0 V	0 V	0 V	MP
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V	PVT
2	18K +/- 5%	0.436 V	0.503 V	0.538 V	DVT
3	33K +/- 5%	0.712 V	0.819 V	0.875 V	EVT



PN : SA00004OB20 S IC KB9012QF A3 LQFP 128P KB CONTROLLER

Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: ENE_KB9012

Size: Custom | Document Number: LA-8971P | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 42 of 58

Power Board Conn.





LED Board Conn.





Blue Tooth Moudle



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Title	Compal Electronics, Inc. PWR/LED/TP/BT Conn.		
Size C	Document Number LA-8971P		Rev 0.1
Date: Wednesday, February 15, 2012	Sheet 43 of 58		

SMSC thermal sensor placed near by VRAM





Address 1001_101xb





REMOTE1,2+/-:
Trace width/space:10/10 mil
Trace length:<8"

FAN Conn



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics,Ltd.

Title: **EMC-Thermal IC/FAN**

Size: B | Document Number: **LA-8971P** | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 44 of 58













Place TX AC coupling Cap (C843~C850). Close to connector











For EMI request

	A_EQ1/B_EQ1 (Internal pull Low)	A_EQ0/B_EQ0 (Internal pull Low)
reserved	Low	Low
program EQ for channel loss up to 7dB	Low	High
program EQ for channel loss up to 14.5dB	High	Low
program EQ for channel loss up to 11.5dB	High	High

	A_DE1/B_DE1 (Internal pull Low)	A_DE0/B_DE0 (Internal pull Low)
3.5dB de-emphasis	Low	Low
No de-emphasis	Low	High
7dB de-emphasis	High	Low
5dB with boost output swing	High	High

	TEST (Internal pull Low)
Normal operation (default)	Low
Test mode enable	High

Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.			
Title: USB3.0 Left Side			
Size: Custom	Document Number: LA-8971P		Rev: 0.1
Date: Wednesday, February 15, 2012	Sheet 45 of 58		





IO Board



KB BackLight Connector











Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: KB & IO Board Conn

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Thursday, February 16, 2012 | Sheet 46 of 58

+5VALW TO +5VS



+3VALW TO +3VS







For Intel S3 Power Reduction.





+1.5V to +1.5VS



Security Classification	Compal Secret Data		
Issued Date	2011/06/15	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: DC Interface

Size	Document Number	Rev
Custom	LA-8971P	0.1

Date: Wednesday, February 15, 2012 | Sheet 47 of 58







Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR DCIN

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 48 of 58

ADP_I need to write Charge Options Register (0x12H)=> bit6=1

0: IOUT is the 20x current amplifier output <default @ POR>
1: IOUT is the 40x current amplifier output

PH1 under CPU botten side :
CPU thermal protection at 93 +-3 degree C
Recovery at 56 +-3 degree C

For KB930 --> Keep PU201 circuit
(Vth = 1.25V)
For KB9012 (Red square) --> Remove PU201 circuit, but keep PR206
PH201, PR205, PR211,PQ201,PR208,PR212



90W(DIS) : PR205=4.42K
PR210=27.4K
65W(UMA) : PR205=402(SD034020080)
PR210=5.11K



Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR_VSBP/OTP

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 49 of 58



CHGVADJ=(Vcell-4)/0.10627	
Vcell	CHGVADJ
4V	0V
4.2V	1.882V
4.35V	3.2935V

CC=0.25A~3A
IREF=1.016*Icharge
IREF=0.254V~3.048V
VCHLIM need over 95mV

Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR CHARGER

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 50 of 58

Note:
Use TPS51125 IC can remove RTC refernece LDO
Use TPS51427 IC must keep RTC refernece LDO

Change PJ2 to PL16
2012/02/14 Wenwen



Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR 3VALW/5VALW

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 51 of 58

STATE	S3	S5	1.5VP	VTT_REFP	0.75VSP
S0	Hi	Hi	On	On	On
S3	Lo	Hi	On	On	Off (Hi-Z)
S4/S5	Lo	Lo	Off	Off	Off
Note: S3 - sleep ; S5 - power off					



Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR 1.5VP/1.8VSP

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 52 of 58



Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR VCCSAP

Size	Document Number	Rev
C	C38-G series Chief River Schematic	0.1

Date: Wednesday, February 15, 2012 Sheet 53 of 58



Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR 1.05VS_VTT

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 54 of 58

Change PQ31 from TPCA8065 TO MDU1516
Change PQ32 from TPCA8057-H to MDU1511
2012/02/06 Wenwen

Add PQ41,PQ42 for heavy load (EDP Continuous current)
2012/02/10 Wenwen

Change PL12 from SH00000IK00 TO SH00000IN00
2012/02/07 Wenwen

Avoid high dV/dt

Connect to input caps

Shortest the net trace

Add PC502 for NV GPU Spec request
2012/02/03 Wenwen

+VGA_CORE Near VGA Core

+VGA_CORE Under VGA Chip

Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR VGA_CORE

Size: C | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 55 of 58


+VGFX_CORE
+3VS
+5VS
+1.05VS_VTT
+CPU_CORE
PU11
ISL95836HRTZ-T_TQFN40_5X5~D
PH4
10K_0402_1%_ERTJ0EG103FA
PH5
470K_0402_5%_TSM0B474J4702RE
PH6
PH7
10K_0402_1%_ERTJ0EG103FA
PL13
HCB4532KF-800T90_1812
PL14
0.36UH_VMPI1004AR-R36M-Z03_30A_20%
PL15
0.36UH_VMPI1004AR-R36M-Z03_30A_20%
PQ33
PQ34
PQ35
PQ36
PQ37
MDU1516URH_POWERDFN56-8-5
MDU1511RH_POWERDFN56-8-5
Change PL14 PL15 from SH00000HK00 to SH00000KK00
2012/02/07 Wenwen
Rds(on)
typ=2.7m Ω
max=3.3m Ω
For ULV 17W 1+1
CPU_CORE LL= -2.9mΩ,
GFX_CORE LL= -3.9mΩ,
OVP=0.9*115%=1.035V
Iocp=40A
Close Phase 1 choke
<BOM Structure>
Security Classification
Compal Secret Data
Issued Date
2010/01/25
Deciphered Date
2012/07/11
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.
Compal Electronics, Inc.
Title
PWR CPU_CORE
Size
Custom
Document Number
C38-G series Chief River Schematic
Rev
0.1
Date:
Wednesday, February 15, 2012
Sheet
56
of
58





For BOT side



For TOP side





Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR CPU_CORE CAP

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 57 of 58

Version change list (P.I.R. List)

for PWR

Item	Reason for change	PG#	Modify List	Date	Phase
1	Add battery reset circuit	P47	add PJ401 PQ39 PR606 PC601 PC609 PR213 PR214 PQ40 PD303	2012/01/15	
2	For VCCSA VID issue on Intel ULV	P52	add PC601 PC611	2012/01/15	
3	Delete battery detector circuit	P48	delete PR24,PR28,PR26,PC8,PU2,PR31,PR33,PR25,PR22,PR32,PR23,PQ3,PQ4; delete PR43,PQ13; PR58,PQ18	2012/01/31	
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					

Security Classification	Compal Secret Data		
Issued Date	2010/01/25	Deciphered Date	2012/07/11

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title: PWR PIR

Size: Custom | Document Number: C38-G series Chief River Schematic | Rev: 0.1

Date: Wednesday, February 15, 2012 | Sheet 58 of 58